

Author Index

A

- Adams, D. O., and J. F. Harbertson. Use of alkaline phosphatase for the analysis of tannins in grapes and red wines. 50:247-252.
See F. M. Dewey. 51:276-282.
See M. L. Mendum. 48:137-144.
- Adrian, M., P. Jeandet, A. C. Breuil, D. Levite, S. Debord, and R. Bessis. Assay of resveratrol and derivative stilbenes in wines by direct injection high performance liquid chromatography. 51:37-41.
- Ageorges, A. See A. S. Renault. 51:81-87.
- Agosin, E., A. Belancic, A. Ibacache, R. Baumes, E. Bordeu, Alex Crawford, and C. Bayonove. Aromatic potential of certain *Muscat* grape varieties important for Pisco production in Chile. 51:404-408.
See A. Belancic. 48:181-186.
- Aguile, L. See G. J. Martin. 50:409-417.
- Aires-de-Sousa, J. Verifying wine origin: A neural network approach. 47:410-414.
- Albert, P. See C. Redon. 50:13-18.
- Alcántara, R. See M. Morales. 48:33-38.
- Alessandri, S., N. Vignozzi, and A. M. Vignini. *AmpeloCADs* (Ampelographic Computer-Aided Digitizing System): An integrated system to digitize, file, and process biometrical data from *Vitis* spp. leaves. 47:257-267.
- Alexandre, H. See S. Boivin. 49:325-332.
- Allain, P. See G. J. Martin. 50:409-417.
- Alonso, G. L. See M. R. Salinas. 47:134-144.
- Alspach, P. See H. Caspari. 49:359-366.
- Altira, D. See T. S. Collins. 48:280-284.
- Alves, A. See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
See I. Mafra. 50:128-132.
- Amati, A. See M. Castellari. 49:91-94.
- Ancin, C., B. Ayestaran, and J. Garrido. Clarification by vacuum filtration of Garnacha must. Utilization of free amino acids during fermentation and bottle-aging of wine. 47:313-322.
- Andersen, P. C., C. A. Sims, and J. M. Harrison. Influence of simulated mechanized pruning and hand pruning on yield and berry composition of *Vitis rotundifolia* Noble and Welder. 47:291-296.
- Andersen-Bagge, J. See S. E. Spayd. 47:389-402.
- Andrés-Lacueva, C. See M. Ibern-Gómez. 51:29-36.
- Angulo, L. See C. Lema. 47:206-216.
- Anocibar Beloqui, A. See Y. Kotseridis. 49:44-48.
- Antoce, O. A., V. Antoce, K. Takahashi, N. Pomohaci, and I. Namolosanu. A calorimetric method applied to the study of yeast growth inhibition by alcohols and organic acids. 48:413-422.
- Antoce, V. See O. A. Antoce. 48:413-422.
- Aragon, P., J. Atienza, and M. D. Climent. Influence of clarification, yeast type, and fermentation temperature on the organic acid and higher alcohols of Malvasia and Muscatel wines. 49:211-219.
- Araújo, A. N., J. L. F. C. Lima, M. L. M. F. S. Saraiva, and E. A. G. Zagatto. A new approach to dialysis in sequential injection systems: Spectrophotometric determination of L(+)-lactate in wines. 48:428-432.

See R. C. C. Costa. 51:131-136.

Argamante, N. See S. Guidoni. 48:438-442.

Arellano, M., F. Couderc, and Ph. Puig. Simultaneous separation of organic and inorganic acids by capillary zone electrophoresis. Application to wines and fruit juices. 48:403-412.

Arfelli, G. See M. Castellari. 49:91-94.

Arnink, K. J. See M. Keller. 49:333-340.

Arola, L. See J. N. Canals. 49:383-388.
See M. Constantí. 48:339-344.

Asselin, C. See F. Brossaud. 50:277-284.

Atienza, J. See P. Aragon. 49:211-219.

Austin, K. T., and C. E. Butzke. Spectrophotometric assay for arginine in grape juice and must. 51:227-232.

Austin, R. K., W. Clay, S. Phimphivong, J. L. Smilanick, and J. Henson. Patterns of sulfite residue persistence in seedless grapes during three months of repeated sulfur dioxide fumigations. 48:121-124.

Auw, J. M., V. Blanco, S. F. O'Keefe, and C. A. Sims. Effect of processing on the phenolics and color of Cabernet Sauvignon, Chambourcin, and Noble wines and juices. 47:279-286.

Avallone, S. See P. Sarni-Manchado. 50:81-86.

Ayala, F., J. F. Echávarri, and A. I. Negueruela. A new simplified method for measuring the color of wines.

- I. Red and rosé wines. 48:370-376.
- II. White wines and brandies. 48:377-382.
- III. All wines and brandies. 50:359-363.

Ayestaran, B. See C. Ancin. 47:313-322.

B

Babini, R. See R. Credi. 48:7-12.

Bakker, J., S. J. Bellworthy, H. P. Reader, and S. J. Watkins. Effect of enzymes during vinification on color and sensory properties of Port wines. 50:271-276.

_____, S. S. Rogerson, S. J. Watkins, and J. A. Barnett. Two methods of port vinification: A comparison of changes during fermentation and of characteristics of the wines. 47:37-41.

Baltenweck-Guyot, R. See T. Tominaga. 51:178-181.

Bandman, E. B. See C. P. Meredith. 50:236-242.

Baptista, E. See S. Dequin. 50:45-50.

Barnes, M. F. See G. J. Pickering. 49:306-318; 50:291-298, 299-306, 307-316.

Barnett, J. A. See J. Bakker. 47:37-41.

Barre, P. See S. Dequin. 50:45-50.
See C. Dubois. 47:363-368.

Barrios, M.-L. See E. Soufleros. 49:266-278.

Barros, P. See I. Festas. 51:150-154.

See P. Herbert. 51:262-268.
See I. Mafra. 50:128-132.

Battistutta, F. See R. Zironi. 48:150-156.

Bauer, F. See H. Volschenki. 48:193-197.

Baumes, R. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
See E. Masson. 51:201-214.

- Bayonove, C. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
- Belancic, A., E. Agosin, A. Ibache, E. Bordeu, R. Baumes, A. Razungles, and C. Bayonove. Influence of sun exposure on the aromatic composition of Chilean Muscat grape cultivars Moscatel de Alejandria and Moscatel rosada. 48:181-186.
See E. Agosin. 51:404-408.
- Bell, S.-J., and A. Robson. Effect of nitrogen fertilization on growth, canopy density, and yield of *Vitis vinifera* L. cv. Cabernet Sauvignon. 50:351-358.
- Belleville, M.-P. See A. Vernhet. 50:51-56.
- Bellworthy, S. J. See J. Bakker. 47:37-41; 50:271-276.
- Benítez, T. See P. Martínez. 48:55-62, 160-168; 49:340-350.
- Berna, A. See M. Haba. 48:285-290.
- Bertolini, L. C. Zambonelli, P. Giudici, and L. Castellari. Higher alcohol production by cryotolerant *Saccharomyces* strains. 47:343-345.
- Bertrand, A. See E. Coton. 49:199-204.
See V. Gerbaux. 48:49-54.
See Y. Kotseridis. 49:44-48.
See E. Soufleros. 49:266-278.
- Bessis, R. See M. Adrian. 51:37-41.
- Bestwick, R. K. See J. Monis. 47:199-205.
- Bettiga, L. J. See K. J. Dell. 49:11-16.
- Bierne, J. See C. Redon. 50:13-18.
See A. S. Renault. 51:81-87.
- Biricolti, S., F. Ferrini, E. Rinadelli, I. Tamantini, and N. Vignozzi. VAM fungi and soil lime content influence rootstock growth and nutrient content. 48:93-99.
- Biscay, P. J. See L. E. Williams. 51:49-54.
- Bisson, L. F. Stuck and sluggish fermentations. 50:107-119.
_____, and C. E. Butzke. Diagnosis and rectification of stuck and sluggish fermentations. 51:168-177.
See M. Dizy. 50:120-127; 51:155-167.
See M. Kudo. 49:295-301.
See A. Spiropoulos. 51:233-248.
See K. C. Weiss. 49:231-239.
- Blanco, V. See J. M. Auw. 47:279-286.
- Block, D. E. See S. Vlassides. 51:73-80.
- Boivin, S., M. Feuillat, H. Alexandre, and C. Charpentier. Effect of must turbidity on cell wall porosity and macromolecule excretion of *Saccharomyces cerevisiae* cultivated on grape juice. 49:325-332.
- Bonham, C. C. See J. A. Sugui. 50:199-203.
- Bordeu, E. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
- Bornia, L. See E. Celotti. 50:343-350.
- Bouard, J. See L. Geny. 48:80-84.
- Boulange-Petermann, L. See A. Vernhet. 50:391-397; 398-403.
- Boulton, R. B. See S. K. Park. 51:91-97.
- Bourgeois, G. See N. Vivas. 49:49-55.
- Bourgois, J. See P. Formisyn. 48:345-351.
- Boursiquot, J. M. See P. This. 48:492-501.
- Bowers, J. E., G. S. Dangl, and C. P. Meredith. Development and characterization of additional microsatellite DNA markers for grape. 50:243-246.
See C. P. Meredith. 50:236-242.
- Bravo, L., and F. Saura-Calixto. Characterization of dietary fiber and the *in vitro* indigestible fraction of grape pomace. 49:135-141.
- Breuil, A. C. See M. Adrian. 51:37-41.
- Brillouet, J.-M. See T. Doco. 47:108-110.
- Broquedis, M. See L. Geny. 48:80-84, 85-92.
- Brossaud, F., V. Cheynier, C. Asselin, and M. Moutounet. Flavonoid compositional differences of grapes among site test plantings of Cabernet franc. 50:277-284.
- Bruno-Sousa, R. See J. E. Eiras-Dias. 49:86-90.
- Burr, T. J., C. L. Reid, D. F. Splitstoesser, and M. Yoahimura. Effect of heat treatments on grape bud mortality and survival of *Agrobacterium vitis* *in vitro* and in dormant grape cuttings. 47:119-123.
See E. W. Stover. 48:26-32, 145-149.
- Butzke, C. E. Survey of yeast assimilable nitrogen status in musts from California, Oregon, and Washington. 49:220-224.
_____, and S. E. Ebeler. Survey of analytical methods and winery laboratory proficiency. 50:461-465.
See K. T. Austin. 51:227-232.
See L. F. Bisson. 51:168-177.
See R. M. Cook. 49:225-228.
See B. C. Dukes. 49:125-134.
- Buxaderas, S. See S. Francioli. 50:456-460.
See M. Ibern-Gómez. 51:29-36.
See M. López-Barajas. 49:97-402.
See E. López-Tamames. 47:193-198.
- Byrne, K. J. See A. Caputi. 51:415-417.

C

- Cabaleiro, C., A. Segura, and J. J. García-Berrios. Effects of grapevine leafroll associated virus 3 on the physiology and must of *Vitis vinifera* L. cv. Albariño following contamination in the field. 50:40-44.
- Cabanis, J. C. See C. Cabrera-Vique. 51:103-107.
See P. L. Teissedre. 49:205-210.
- Cabanis, M. T. See C. Cabrera-Vique. 51:103-107.
See P. L. Teissedre. 49:205-210.
- Cabezudo, M. D. See M. S. Pérez-Coello. 50:162-165.
- Cabral, M. See I. Festas. 51:150-154.
- Cabrera-Vique, C., P. L. Teissedre, M. T. Cabanis, and J. C. Cabanis. Manganese determination in grapes and wines from different regions of France. 51:103-107.
See P. L. Teissedre. 49:205-210.
- Cacho, J. See A. Guitart. 49:389-396; 50:253-258.
See P. Hernández Orte. 48:229-235; 50:144-154.
- Cadahia, E. See A. Peña-Neira. 50:285-290.
- Caillet, S. See Y. Vasserot. 48:433-437.
- Caixach, J. See S. Francioli. 50:404-408.
- Caldentey, P. See V. Mazzoleni. 49:6-10.
- Canals, J. N., L. Arola, and F. Zamora. Protein fraction analysis of white wine by FPLC. 49:383-388.
- Canbas, A. See C. Nurgel. 49:95-99.
- Cantoral, J. M. See J. J. Mesa. 51:15-21.
- Capps, E. R., and T. K. Wolf. Reduction of bunch stem necrosis of Cabernet Sauvignon by increased tissue nitrogen concentration. 51:319-328.
- Caputi, A., A. Ribeiro, and K. J. Byrne. Gas chromatographic determination of mono- and diglycerides in wine and their natural removal from wine. 51:415-417.
- Cardoso, M. I. See R. C. C. Costa. 51:131-136.
- Cartechini, A. See A. Palliotti. 51:122-130.
- Caspari, H. W., A. Lang, and P. Alspach. Effects of girdling and leaf removal on fruit set and vegetative growth in grape. 49:359-366.
- Castagnoli, S. See M. Vasconcelos. 51:390-396.

- Castellari, L. See L. Bertolini. 47:343-345.
See S. Rainieri. 49:319-325.
- Castellari, M., G. Arfelli, C. Riponi, and A. Amati. Evolution of phenolic compounds in red winemaking as affected by must oxygenation. 49:91-94.
- Castro, R., and C. García Barroso. Behavior of a hyperoxidized must during biological aging of Fino sherry wine. 51:98-102.
- Celotti, E., L. Bornia, and E. Zoccolan. Evaluation of the electrical properties of some products used in the tartaric stabilization of wines. 50:343-350.
See R. Zironi. 48:150-156.
- Chacon, H. See J. P. Peros. 47:49-56.
- Charoenchai, C., G. H. Fleet, and P. A. Henschke. Effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. 49:283-288.
- Charpentier, M. See S. Boivin. 49:325-332.
- Chatonnet, P. Discrimination and control of toasting intensity and quality of oak wood barrels. 50:479-494.
_____, and D. Dubourdieu. Comparative study of the characteristics of American white oak (*Quercus alba*) and European oak (*Quercus petraea* and *Q. robur*) for production of barrels used in barrel aging of wines. 49:79-85.
_____, C. Viala, and D. Dubourdieu. Influence of polyphenolic components of red wines on the microbial synthesis of volatile phenols. 48:443-448.
- Cheynier, V., I. Hidalgo Arellano, J. M. Souquet, and M. Moutounet. Estimation of the oxidative changes in phenolic compounds of Carignane during winemaking. 48:225-228.
See F. Brossaud. 50:277-284.
See P. Sarni-Manchado. 50:81-86.
See A. Vernhet. 50:391-397; 398-403.
- Ciani, M. See A. Martini. 47:435-440.
- Cichelli, A., F. Damiani, F. Murmura, M. S. Simonetti, M. Odoardi, P. Damiani. Classification of Montepulciano d'Abruzzo wines by linear discriminant analysis and artificial neural networks. 51:108-114.
- Clay, W. See R. K. Austin. 48:121-124.
- Cliff, M. A., M. C. Dever, and A. G. Reynolds. Descriptive profiling of new and commercial British Columbia table grape cultivars. 47:301-308.
See P. Delaquis. 51:42-48.
See B. Girard. 48:198-206.
- Climent, M. D. See P. Aragon. 49:211-219.
- Clingeffer, P. R. See B. A. Uhlig. 49:375-382.
- Coign, M. J. See B. J. Ector. 47:57-62.
- Collins, T. S., C. A. Miller, K. D. Altira, and A. L. Waterhouse. Development of a rapid method for the analysis of ethanol in wines using capillary electrophoresis. 48:280-284.
- Comtat, M. See M. Gilis. 47:11-16.
- Conceição Tanganho, M. See R. B. Ferreira. 51:22-28.
- Confuron, Y. See J. P. Peros. 47:49-56.
- Constantí, M. Poblet, L. Arola, A. Mas, and J. M. Guillamón. Analysis of yeast populations during alcoholic fermentation in a newly established winery. 48:339-344.
- Cook, R. M., B. R. Devlin, S. E. Ebeler, and C. E. Butzke. Evaluation of a digital blood glucose monitor for measuring residual glucose in wines. 49:225-228.
- Costa, R. C. C., M. I. Cardoso, and A. N. Araújo. Metals determination in wines by sequential injection analysis with flame atomic absorption spectrometry. 51:131-136.
- Coton, E., G. Rollan, A. Bertrand, and A. Lonvaud-Funel. Histamine-producing lactic acid bacteria in wines: early detection, frequency, and distribution. 49:199-204.
- Couderc, F. See M. Arellano. 48:403-412.
- Crawford, A. See E. Agosin. 51:404-408.
- Credi, R., and A. R. Babini. Effects of virus and virus-like infections on growth, yield, and fruit quality of Albana and Trebbiano Romagnolo grapevines. 48:7-12.
- Cuenat, Ph. See R. Pezet. 47:287-290.
- Cuisset, C. See P. This. 48:492-501.
- D**
- Daeschel, M. A. See M. B. A. Glória. 49:279-282.
- Dami, I.-E., C. Stushnoff, and R. A. Hamman, Jr. Field response of *Vitis vinifera* cultivars to methanol. 47:297-300.
See R. A. Hamman. 47:31-36.
- Damiani, F. See A. Cichelli. 51:108-114.
- Damiani, P. See A. Cichelli. 51:108-114.
- Dangi, G. S. See J. E. Bowers. 50:243-246.
See C. P. Meredith. 50:236-242.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Changes in the buffering capacity of model solutions of 40 mM tartaric or malic acids in relation to amino acids. 51:347-351.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Study of the contribution of the major organic acids of wine to the buffering capacity of wine in model solutions. 51:374-378.
- Davies, H. D. See C. de la Presa Owens. 49:289-294.
- Davis, R. E. See G. V. Jones. 51:249-261.
- De Benedictis, J. A., J. Granett, and S. P. Taormino. Differences in host utilization by California strains of grape phylloxera. 47:373-379.
_____, and A. C. Noble. Effect of storage at elevated temperatures on aroma of Chardonnay wines. 48:310-316.
_____, P. Schlich, H. D. Davies, and A. C. Noble. Effect of *Méthode Champenoise* process on aroma of four *V. vinifera* varieties. 49:289-294.
- Debord. See M. Adrian. 51:37-41.
- de Freitas, V. A. P., Y. Glories, and A. Monique. Developmental changes of procyandins in grapes of red *Vitis vinifera* varieties and their composition in respective wines. 51:397-403.
- Delaquis, P., M. Cliff, M. King, B. Girard, J. Hall, and A. G. Reynolds. Effect of two commercial malolactic cultures on the chemical and sensory properties of Chancellor wines vinified with different yeasts and fermentation temperatures. 51:42-48.
- de la Torre-Boronat, M. C. See M. Ibern-Gómez. 51:29-36.
See M. López-Barajas. 49:97-402.
- Deleris, A. See P. Sarni-Manchado. 50:81-86.
- Dell, K. J., W. D. Gubler, R. Krueger, M. Sanger, and L. J. Bettiga. The efficacy of JMS Stylet-Oil on grape powdery mildew and botrytis bunch rot and effects on fermentation. 49:11-16.
- Deloire, A. See A. S. Renault. 51:81-87.
- Denrayolles, M. See H. Volschenk. 48:193-197.
- Dequin, S., E. Baptista, and P. Barre. Acidification of grape musts by *Saccharomyces cerevisiae* wine yeast strains genetically engineered to produce lactic acid. 50:45-50.
- De Stefano, G. See M. Servili. 51:352-356.
- Dever, M. See A. G. Reynolds. 44:77-92.
See M. A. Cliff. 47:301-308.
- Devlin, B. R. See R. M. Cook. 49:225-228.
- Dewey, F. M., S. E. Ebeler, D. O. Adams, A. C. Noble, and U. M. Meyer. Quantification of *Botrytis* in grape juice determined by a monoclonal antibody-based immunoassay. 51:276-282.
- Dharmadhikari, M. R., and K. L. Wilker. Deacidification of high malate

- must with *Schizosaccharomyces pombe*. 49:408-412.
See K. L. Wilker. 48:516-520.
- Diamandis, E. P. See D. M. Goldberg. 47:415-420.
See G. J. Soleas. 48:169-176.
- Di Stefano, R. See S. Guidoni. 48:438-442.
- Dixon, G. See J. A. James. 50:19-24.
- Dizy, M., and L. F. Bisson. Proteolytic activity of yeast strains during grape juice fermentation. 51:155-167.
_____, and L. F. Bisson. White wine protein analysis by capillary zone electrophoresis. 50:120-127.
- Doazan, J. P. See Y. Kotseridis. 49:44-48.
- Dobó, A. See G. Vas. 49:100-104.
- Doco, T., J.-M. Brillouet, and M. Moutounet. Evolution of grape (Carignan noir cv.) and yeast polysaccharides during fermentation and post-maceration. 47:108-110.
_____, N. Quellec, M. Moutounet, and P. Pellerin. Polysaccharide patterns during the aging of Carignan noir red wines. 50:28-32.
See S. Vidal. 51:115-121.
- Dreier, L. P., G. S. Stoll, and H. P. Ruffner. Berry ripening and evapo-transpiration in *Vitis vinifera* L. 51:340-346.
- Dubois, C., C. Manginot, J.-L. Roustan, J.-M. Sablayrolles, and P. Barre. Effect of variety, year and grape maturity on the kinetics of alcoholic fermentation. 47:363-368.
- Dubourdieu, D. See P. Chatonnet. 48:443-448; 49:79-85.
See T. Tominaga. 51:178-181.
- Dugar, S. M. See J. Jaganathan. 49:115-118.
- Dukes, B. C., and C. E. Butzke. Rapid determination of primary amino acids in grape juice using an α -phthalaldialdehyde/N-acetyl-L-cysteine spectrophotometric assay. 49:125-134.
- Dulau, L. See A. Julien. 51:215-222.
- Duncan, S. E. See B. W. Zeecklein. 49:259-265.
- Dunst, R. See T. E. Martinson. 48:291-302.
- Dupré, K. See A. Vernhet. 50:391-397; 398-403.
- Durliat, H. See M. Gilis. 47:11-16.
- E**
- Eastham, J., and S. A. Gray. A preliminary evaluation of the suitability of sap flow sensors for use in scheduling vineyard irrigation. 49:171-176.
See C. Ginestar. 49:413-420, 421-428.
- Ebeler, J. D. See M. N. Lau. 50:324-333.
- Ebeler, S. E. See C. E. Butzke. 50:461-465.
See R. M. Cook. 49:225-228.
See F. M. Dewey. 51:276-282.
See M. N. Lau. 50:324-333.
- Ebisuda, N. See L. E. Williams. 51:49-54.
- Echávarri, J. F. See F. Ayala. 48:370-376, 377-382; 50:359-363.
- Ector, B. J., J. B. Magee, C. P. Hegwood, and M. J. Coign. Resveratrol concentration in muscadine berries, juice, pomace, purees, seeds, and wines. 47:57-62.
- Eder, R. See U. Vrhovsek. 48:214-219.
- Edwards, C. G., K. M. Haag, and M. D. Collins. Identification and characterization of two lactic acid bacteria associated with sluggish/stuck fermentations. 49:445-448.
_____, A. G. Reynolds, A. V. Rodriguez, M. J. Semon, and J. M. Mills. Implication of acetic acid in the induction of slow/stuck grape juice fermentations and inhibition of yeast by *Lactobacillus* sp. 50:204-210.
See Y.-C. Huang. 47:1-10.
- Eiras-Dias, J. E., and R. Bruno-Sousa. Isoenzymatic polymorphism differentiation of Portuguese grapevine cultivars. 49:86-90.
- Eisenheld, C. See F. Regner. 51:7-14.
- English-Loeb, G. See T. E. Martinson. 48:291-302.
- Epifanio, S. I., A. R. Gutierrez, M. P. Santamaría, and R. López. The influence of enological practices on the selection of wild yeast strains in spontaneous fermentation. 50:219-224.
- Es-Safi, N. See M. Hmamouchi. 47:186-192.
- Essassi, E. M. See M. Hmamouchi. 47:186-192.
- Esteban, M. A., M. J. Villanueva, and J. R. Lissarrague. Effect of irrigation on changes in berry composition of Tempranillo during maturation. Sugars, organic acids, and mineral elements. 50:418-434.
- Eugenio Diaz, M. See V. L. Gutierrez Afonso. 49:440-444.
- F**
- Falqué, E., and E. Fernández. Effects of different skin-contact times on Treixadura wine composition. 47:309-312.
- Famini, R. See D. Favretto. 51:55-64.
- Favretto, D., and R. Famini. Application of electrospray ionization mass spectrometry to the study of grape anthocyanins. 51:55-64.
- Farkas, M. See G. Vas. 49:100-104.
- Ferguson, J. C. See J. M. Tarara. 51:182-188.
- Fernández, E. See E. Falqué. 47:309-312.
- Fernandez de Simón, B. See A. Peña-Neira. 50:285-290.
- Ferrandino, A. See S. Guidoni. 48:438-442.
- Ferranti, F. See A. Palliotti. 51:122-130.
- Ferreira, R. B., S. Monteiro, M. A. Piçarra-Pereira, M. Conceição Tangano, V. B. Loureiro, and A. R. Teixeira. Characterization of the proteins from grapes and wines by immunological methods. 51:22-28.
- Ferreira, V. See A. Guitart. 50:253-258.
- Ferrini, F. See S. Biricolti. 48:93-99.
- Festas, I., P. Herbert, L. Santos, M. Cabral, P. Barros, and A. Alves. Ochratoxin A in some Portuguese wines: Method validation and screening in Port Wine and Vinho Verde. 51:150-154.
- Feuillat, F., and R. Keller. Variability of oak wood (*Quercus robur* L., *Quercus petraea* Liebl.) anatomy relating to cask properties. 48:502-508.
_____, R. Keller, F. Sauvageot, and J.-L. Puech. Characterization of French oak cooperage (*Quercus robur* L., *Quercus petraea* Liebl.). Research of the study group on barrel-aging burgundy wines. 50:513-518.
_____, L. Moio, E. Guichard, M. Marinov, N. Fournier, and J.-L. Puech. Variation in the concentration of ellagitannins and *cis*- and *trans*- β -methyl- γ -octalactone extracted from French oak wood (*Quercus robur* L., *Quercus petraea* Liebl.) under model cask conditions. 48:509-515.
See J. R. Mosedale. 50:503-512.
See J.-L. Puech. 50:469-478.
See F. Sauvageot. 50:447-455.
- Feuillat, M. See S. Boivin. 49:325-332.
- Fleet, G. H. See C. Charoenchai. 49:283-288.
See B. E. N. Todd. 51:65-72.
- Flerianos, I. See A. Spiropoulos. 51:233-248.
- Flore, J. A. See D. P. Miller. 47:244-250, 251-256, 380-388.
- Formisyn, P., H. Vaillant, F. Lantreibecq, and J. Bourgois. Development of an enzymatic reactor for initiating malolactic fermentation in wine. 48:345-351.
- Forsline, P. L., J. Hoch, W. F. Lamboy, J. S. Hu, J. R. McFerson, D. A. Golino, and D. Gonsalves. Comparative effectiveness of symptomatology and ELISA for detecting two isolates of grapevine leafroll

- on graft-inoculated Cabernet franc. 47:239-243.
- Fournier, N. See F. Feuillat. 48:509-515.
- Franciolli, S., S. Buxaderas, and P. Pellerin. Influence of *Botrytis cinerea* on the polysaccharide composition of Xarel.lo musts and cava base wines. 50:456-460.
- _____, M. Guerra, E. López-Tamames, J. M. Guadayol, and J. Caixach. Aroma of sparkling wines by headspace/solid phase microextraction and gas chromatography/mass spectrometry. 50:404-408.
- Fruchier, A. See M. Hmamouchi. 47:186-192.
- Fugelsang, K. C. See T. M. Toland. 47:111-112.
See V. L. Wahlstrom. 47:225-226.
- Fujiyama, K. See T. Okuda. 50:137-143.
- G**
- Gafner, J. See A. Viviani-Nauer. 48:63-66, 67-70.
- Garcia, L. See A. Picinelli. 51:144-149.
- Garcia-Alonso, A. See N. Martin-Carron. 48:328-332.
- García Barroso, C. See R. Castro. 51:98-102.
- García-Berrios, J. J. See C. Cabaleiro. 50:40-44.
- Garcia de la Serrana, H. L. See R. Gimenez Martinez. 47:441-446.
- Garcia-Jares, C. See C. Lema. 47:206-216.
- García-Vallejo, M. C. See A. Peña-Neira. 50:285-290.
- Garrido, J. See C. Ancin. 47:313-322.
- Gaudillere, J. P. See N. Ollat. 49:251-258.
- Gent, A., G. Wegener, and F. Radler. Quantitative measurement of heat formation during malolactic fermentation. 48:423-427.
- Geny, L., M. Broquedis, J. Martin-Tanguy, and J. Bouard. Free, conjugated, and wall-bound polyamines in various organs of fruiting cuttings of *Vitis vinifera* L. cv. Cabernet Sauvignon. 48:80-84.
_____, M. Broquedis, J. Martin-Tanguy, J.-P. Soyer, and J. Bouard. Effects of potassium nutrition on polyamine content of various organs of fruiting cuttings of *Vitis vinifera* L. cv. Cabernet Sauvignon. 48:85-92.
- Gerbaux, V., A. Villa, C. Monamy, and A. Bertrand. Use of lysozyme to inhibit malolactic fermentation and to stabilize wine after malolactic fermentation. 48:49-54.
- Gilis, M., H. Durliat, and M. Comtat. Electrochemical biosensors for assays of L-malic and D-lactic acids in wines. 47:11-16.
- Gimenez Martinez, R., H. L. Garcia de la Serrana, M. Villalon Mire, J. Quesada Granados, and M. C. Lopez Martinez. Influence of wood heat treatment, temperature, and maceration time on vanillin, syringaldehyde, and gallic acid contents in oak wood and wine spirit mixtures. 47:441-446.
- Ginestar, C., J. Eastham, S. Gray, and P. Iland. Use of sap-flow sensors to schedule vineyard irrigation. I. Effects of post-veraison water deficits on water relations, vine growth, and yield of Shiraz grape-vines. 49:413-420.
_____, J. Eastham, S. Gray, and P. Iland. Use of sap-flow sensors to schedule vineyard Irrigation. II. Effects of post-veraison water deficits on composition of Shiraz grapes. 49:421-428.
- Giovanelli, G., C. Peri, and E. Parravicini. Kinetics of grape juice fermentation under aerobic and anaerobic conditions. 47:429-434.
- Girard, B., T. G. Kopp, A. G. Reynolds, and M. Cliff. Influence of vinification treatments on aroma constituents and sensory descriptors of Pinot noir wines. 48:198-206.
See P. Delaquis. 51:42-48.
- Giudici, P. See L. Bertolini. 47:343-345.
See S. Rainieri. 49:319-325.
- Glória, M. B. A., B. T. Watson, L. Simon-Sarkadi, and M. A. Daeschel. A survey of biogenic amines in Oregon Pinot noir and Cabernet Sauvignon wines. 49:279-282.
- Glories, Y. See V. A. P. de Freitas. 51:397-403.
See M. Mirabel. 50:211-218.
See C. Saucier. 48:383-386.
See N. Vivas. 47:103-107; 49:49-55.
- Gogorcena, Y. See J. R. Vidal. 50:69-75.
- Goldberg, D. M., A. Karumanchiri, G. J. Soleas, and E. Tsang. Concentrations of selected polyphenols in white commercial wines. 50:185-193.
_____, A. Karumanchiri, E. Tsang, and G. J. Soleas. Catechin and epicatechin concentrations of red wines: Regional and cultivar-related differences. 49:23-34.
_____, E. Ng, A. Karumanchiri, E. P. Diamandis, and G. J. Soleas. Resveratrol glucosides are important components of commercial wines. 47:415-420.
_____, E. Tsang, A. Karumanchiri, and G. J. Soleas. Quercetin and p-coumaric acid concentrations in commercial wines. 49:142-151.
- Golino, D. A. See P. L. Forseline. 47:239-243.
- Goñi, I. See N. Martin-Carron. 48:328-332.
- Gonsalves, D. See P. L. Forseline. 47:239-243.
- Goodman, R. N. See B. N. Milkus. 50:133-134.
- Granett, J. See J. A. De Benedictis. 47:373-379.
See L. Kocsis. 50:101-106.
- Grant, R. S., and M. A. Matthews. The influence of phosphorus availability, scion, and rootstock on grapevine shoot growth, leaf area, and petiole phosphorus concentration. 47:217-224.
_____, and M. A. Matthews. The influence of phosphorus availability and rootstock on root system characteristics, phosphorus uptake, phosphorus partitioning, and growth efficiency. 47:403-409.
- Gray, S. A. See J. Eastham. 49:171-176.
See C. Ginestar. 49:413-420, 421-428.
- Grimaldi, A., H. McLean, and V. Jiranek. Identification and partial characterization of glycosidic activities of commercial strains of the lactic acid bacterium, *Oenococcus oeni*. 51:357-364.
- Grobler, J. See H. Volschenki. 48:193-197.
- Grzegorczyk, W., and M. A. Walker. Evaluating resistance to grape phylloxera in *Vitis* species with an *in vitro* dual culture assay. 49:17-22.
_____, and M. A. Walker. Surface sterilization of grape phylloxera eggs in preparation for *in vitro* culture with *Vitis* species. 48:157-159.
- Gu, S., P. B. Lombard, and S. F. Price. Effect of shading and nitrogen source on growth, tissue ammonium and nitrate status, and inflorescence necrosis in Pinot noir grapevines. 47:173-180.
- Guadayol, J. M. See S. Franciolli. 50:404-408.
- Gubler, W. D. See K. J. Dell. 49:11-16.
See H. L. Ypema. 51:1-6.
- Guerra, C. See M. Mirabel. 50:211-218.
- Guerra, M. See S. Franciolli. 50:404-408.
- Guichard, E. See F. Feuillat. 48:509-515.
- Guidoni, S., F. Mannini, A. Ferrandino, N. Argamante, and R. Di Stefano. The effect of grapevine leafroll and rugose wood sanitation on agronomic performance and berry and leaf phenolic content of a Nebbiolo clone (*Vitis vinifera* L.). 48:438-442.
- Guillamón, J. M. See M. Constantí. 48:339-344.
- Guitart, A., P. Hernández Orte, and J. Cacho. Effect of different clarification treatments on the amino acid content of Chardonnay musts and wines. 49:389-396.

- _____, P. Hernández Orte, V. Ferreira C. Peña, and J. Cacho. Some observations about the correlation between the amino acid content of musts and wines of the Chardonnay variety and their fermentation aromas. 50:253-258.
See P. Hernández Orte. 48:229-235; 50:144-154.
- Gutierrez, A. R. See S. I. Epifanio. 50:219-224.
- Gutierrez Afonso, V. L., J. Darias, R. Armas, M. R. Medina, and M. Eugenio Diaz. Descriptive analysis of three white wine varieties cultivated in the Canary Islands. 49:440-444.
- Gutiérrez Granda, M.-J. See M. J. Sipiora. 49:152-162.
- H**
- Haag, K. M. See C. G. Edwards. 49:445-448.
See Y.-C. Huang. 47:1-10.
- Haag, P. See A. G. Reynolds. 47:421-428.
- Haba, M., A. Mulet, and A. Berna. Stability in wine differentiation of two close viticultural zones. 49:285-290.
- Hajrasuliha, S., D. E. Rolston, and D. T. Louie. Fate of ^{15}N fertilizer applied to trickle-irrigated grapevines. 49:191-198.
- Hale, M. D., K. McCafferty, E. Larmie, J. Newton, and J. S. Swan. The influence of oak seasoning and toasting parameters on the composition and quality of wine. 50:495-502.
- Hall, J. See P. Delaquis. 51:42-48.
- Hamman, R. A., Jr., I.-E. Dami, T. M. Walsh, and C. Stushnoff. Seasonal carbohydrate changes and cold hardiness of Chardonnay and Riesling grapevines. 47:31-36.
See I.-E. Dami. 47:297-300.
- Hanamure, K. See M. Sato. 48:1-6.
- Handley, V. See C. P. Meredith. 50:236-242.
- Harbertson, J. F. See D. O. Adams. 50:247-252.
- Harrison, J. M. See P. C. Anderson. 47:291-296.
- Hashizume, K., and T. Samuta. Grape maturity and light exposure affect berry methoxypyrazine concentration. 50:194-198.
- Heatherbell, D. A. See G. J. Pickering. 49:306-318; 50:291-298, 299-306, 307-316.
- Herbert, P. See I. Festas. 51:150-154.
- Hegwood, C. P. See B. J. Ector. 47:57-62.
- Henschke, P. A. See C. Charoenchai. 49:283-288.
See B. E. N. Todd. 51:65-72.
- Henson, J. See R. K. Austin. 48:121-124.
- Herbert, P., P. Barros, and A. Alves. Detection of Port Wine imitations by discriminant analysis using free amino acids profiles. 51:262-268.
See I. Mafra. 50:128-132.
See S. Minguez. 49:177-182.
- Hernández, T. See A. Peña-Neira. 50:285-290.
- Hernández Orte, P., A. Guitart, and J. Cacho. Amino acid determination in musts and wines by HPLC after derivatization with phenylisothiocyanate. 48:229-235.
_____, A. Guitart, and J. Cacho. Changes in the concentration of amino acids during the ripening of *vitis vinifera* Tempranillo variety from the *Denomination d'Origine* Somontano (Spain). 50:144-154.
See A. Guitart. 49:389-396; 50:253-258.
- Hidalgo Arellano, I. See V. Cheynier. 48:225-228.
- Hirano, K. See P. H. Kimura. 47:152-156; 48:323-327; 49:1-5.
See C. K. Ndung'u. 47:157-162; 48:115-120.
- Hmamouchi, M., N. Es-Safi, M. Lahrichi, A. Fruchier, and E. M. Essassi. Flavones and flavonols in leaves of some Moroccan *Vitis vinifera* cultivars. 47:186-192.
- Hoch, J. See P. L. Forseline. 47:239-243.
- Hoffmann-Boller, P. See A. Viviani-Nauer. 48:63-66, 67-70.
- Hogg, T. A. See J. Bakker. 47:37-41.
- Howell, G. S. See D. P. Miller. 47:244-250, 251-256, 380-388; 49:183-190.
See R. P. Smithyman. 48:482-491; 49:163-170.
- Hrazdina, G. See M. Keller. 49:333-340, 341-349.
- Hu, J. S. See P. L. Forseline. 47:239-243.
- Huang, Y.-C., C. G. Edwards, J. C. Peterson, and K. M. Haag. Relationship between sluggish fermentations and the antagonism of yeast by lactic acid bacteria. 47:1-10.
- Hubácková, M. Dependence of grapevine bud cold hardiness on fluctuations in winter temperatures. 47:100-102.
- Huerta, M. D. See M. R. Salinas. 47:134-144.
- Hutchens, T. W. See K. C. Weiss. 49:231-239.
- I**
- Ibacache, A. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
- Ibern-Gómez, M., C. Andrés-Lacueva, R. M. Lanuela-Ravetos, S. Buxaderas, V. L. Singleton, and M. C. de la Torre-Boronat. Browning of cava (sparkling wine) during aging in contact with lees due to the phenolic composition. 51:29-36.
- Ibeas, J. I., I. Lozano, F. Perdigones, and J. Jimenez. Dynamics of flor yeast populations during the biological aging of sherry wines. 48:75-79.
_____, I. Lozano, F. Perdigones, and J. Jimenez. Effects of ethanol and temperature on the biological aging of sherry wines. 48:71-74.
- Ignelzi, S. See A. L. Waterhouse. 51:383-389.
- Iland, P. See C. Ginestar. 49:413-420, 421-428.
- Infante, J. J. See J. J. Mesa. 51:15-21.
- Irelan, N. A., and C. P. Meredith. Genetic analysis of *Agrobacterium tumefaciens* and *A. vitis* using randomly amplified polymorphic DNA. 47:145-151.
- J**
- Jaganathan, J. and S. M. Dugar. Determination of selenium in wines using electrothermal atomic absorption spectrometry with Zeeman background correction. 49:115-118.
- James, J. A., G. Dixon, and O. Lamikanra. Characterization of partially purified cellulase from muscadine grapes (*Vitis rotundifolia* Michx.). 50:19-24.
- Jasinski, Y. See H. M. McMahon. 50:385-390.
See B. W. Zeecklein. 48:397-402; 49:35-43, 259-265.
- Jeandet, P. See M. Adrian. 51:37-41.
See C. Dartiguenave. 51:347-351, 374-378.
See G. Liger-Belair. 50:317-323.
- Jimenez, J. See J. I. Ibeas. 48:71-74, 75-79.
- Jimeno, J. See M. R. Salinas. 47:134-144.
- Jiranek, V. See A. Grimaldi. 51:357-364.
- Johnston, T. V., and J. R. Morris. Circular dichroism cv. Cabernet Sauvignon and *Vitis rotundifolia* cv. Noble red wine liquid chromatographic fractions. 47:323-328.
- Jones, G. V., and R. E. Davis. Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France. 51:249-261.
- Jouitteau, C. See G. J. Martin. 50:409-417.
- Julien, A., J.-L. Roustan, L. Dulau, and J.-M. Sablayrolles. Comparison of nitrogen and oxygen demands of enological yeasts: Technological consequences. 51:215-222.

K

- Kadim, D., and C. H. Mannheim. Kinetics of phenolic extraction during aging of model wine solution and white wine in oak barrels. 50:33-39.
- Kandl, T., and S. Kupina. An improved capillary electrophoresis procedure for the determination of organic acids in grape juice and wine. 50:155-161.
- Kanellis, A. K. See K. A. Loulakakis. 47:181-185.
- Karagiannidis, N., and N. Nikolaou. Influence of arbuscular mycorrhizae on heavy metal (Pb and Cd) uptake, growth, and chemical composition of *Vitis vinifera* L. (cv. Razaki). 51:269-275.
- Karagiannis, S., and P. Lanaridis. Effect of various vinification parameters on the development of several volatile sulfur compounds in Greek white wines of the cultivars Batiki and Muscat of Hamburg. 50:334-342.
- Karumanchiri, A. L. See D. M. Golberg. 47:415-420; 49:23-34, 142-151; 50:185-193.
See G. J. Soleas. 48:169-176.
- Kaserer, H. See F. Regner. 51:7-14.
- Katoh, I. See M. Sato. 48:1-6.
- Keller, M., K. J. Arnink, and G. Hrazdina. Interaction of nitrogen availability during bloom and light intensity during veraison. I. Effects on grapevine growth, fruit development, and ripening. 49:333-340.
_____, and G. Hrazdina. Interaction of nitrogen availability during bloom and light intensity during veraison. II. Effects on anthocyanin and phenolic development during grape ripening. 49:341-349.
- Keller, R. See F. Feuillat. 48:502-508.
- Kimura, P. H., G. Okamoto, and K. Hirano. Effects of gibberellic acid and streptomycin on pollen germination and ovule and seed development in Muscat Bailey A. 47:152-156.
- _____, G. Okamoto, and K. Hirano. Flower types, pollen morphology and germination, fertilization, and berry set in *Vitis coignetiae* Pulliat. 48:323-327.
- _____, G. Okamoto, and K. Hirano. The mode of pollination and stigma receptivity in *Vitis coignetiae* Pulliat. 49:1-5.
- King, M. See P. Delaquis. 51:42-48.
- Kirby, R. M. See J. Bakker. 47:37-41.
- Kliewer, W. M. See N. Kubota. 51:409-414.
- Kocsis, L., J. Granett, M. A. Walker, H. Lin, and A. D. Omer. Grape phylloxera populations adapted to *Vitis berlandieri* \approx *V. riparia* rootstocks. 50:101-106.
- Kopp, T. G. See B. Girard. 48:198-206.
- Köteleky, K. See G. Vas. 49:100-104.
- Kotseridis, Y., A. Anocibar Beloqui, A. Bertrand, and J. P. Doazan. An analytical method for studying the volatile compounds of Merlot noir clone wines. 49:44-48.
- Kraeva, E. See A. S. Renault. 51:81-87.
- Krag, C. R. See J. K. Uyemoto. 48:521-524.
- Krueger, R. See K. J. Dell. 49:11-16.
- Ku, M. S. B. See A. M. Morrell. 48:459-464, 465-470.
- Kubota, N., M. A. Matthews, T. Takahagi, and W. M. Kliewer. Budbreak with garlic preparations. 51:409-414.
- Kudo, M., P. Vagnoli, and L. F. Bisson. Imbalance of pH and potassium concentration as a cause of stuck fermentations. 49:295-301.
- Kupina, S. See T. Kandl. 50:155-161.

L

- Lacorre-Arescaldino, I. See C. Redon. 50:13-18.
- Lahrichi, M. S. See M. Hmamouchi. 47:186-192.
- Lakso, A. See T. E. Martinson. 48:291-302.

- Lamboy, W. F. See P. L. Forseline. 47:239-243.
- Lamikanra, O. See J. A. James. 50:19-24.
- Lamuela-Raventós, R. M. See M. Ibern-Gómez. 51:29-36.
- Lanaridis, P. See S. Karagiannis. 50:334-342.
- Lang, A. See H. Caspari. 49:359-366.
- Lang, N. S., R. L. Wample, R. Smithyman, and L. Mills. Photosynthesis and chlorophyll fluorescence in blackleaf-affected Concord. 49:367-374.
- Lanterman, W. S. See A. G. Reynolds. 48:449-458.
- Lantreibecq, F. See P. Formisyn. 48:345-351.
- Larmie, E. See M. D. Hale. 50:495-502.
- Larrauri, J. A., P. Ruperez, and F. Saura Calixto. Antioxidant activity of wine pomace. 47:369-372.
- Lau, M. N., J. D. Ebeler, and S. E. Ebeler. Gas chromatographic analysis of aldehydes in alcoholic beverages using a cysteamine derivatization procedure. 50:324-333.
- Leandro, M. C. See B. S. Sun. 50:179-184.
- Lehtonen, P. Determination of amines and amino acids in wine — A review. 47:127-133.
See M. Tuiskunen. 48:220-224
- Lema, C., C. Garcia-Jares, I. Orriols, and L. Angulo. Contribution of *Saccharomyces* and non-*Saccharomyces* populations to the production of some components of Albariño wine aroma. 47:206-216.
- Letinois, I. See A. S. Renault. 51:81-87.
- Levite, D. See M. Adrian. 51:37-41.
- Liger-Belair, G., R. Marchal, B. Robillard, M. Vignes-Adler, A. Maujean, and P. Jeandet. Study of effervescence in a glass of Champagne: Frequencies of bubble formation, growth rates, and velocities of rising bubbles. 50:317-323.
- Lima, J. L. F. C. See A. N. Araújo. 48:428-432.
- Lin, H. See L. Kocsis. 50:101-106.
- Lin, J., and M. A. Walker. Index to heredity identifying grape rootstocks with simple sequence repeat (SSR) DNA markers. 49:403-407.
- Lissarrague, J. R. See M. A. Esteban. 50:418-434.
- Little, D. See C. Saucier. 48:383-386.
- Lonvaud-Funel, A. See E. Coton. 49:199-204.
See J. C. Nielsen. 47:42-48.
See H. Volschenki. 48:193-197.
- López, R. See S. I. Epifanio. 50:219-224.
- López-Barajas, M., E. López-Tamames, S. Buxaderas, and M. C. de la Torre-Boronat. Effect of vinification and variety on foam capacity of wine. 49:97-402.
- Lopez Martinez, M. C. See R. Gimenez Martinez. 47:441-446.
- López-Tamames, E., M. A. Puig-Deu, E. Teixeira, and S. Buxaderas. Organic acids, sugars, and glycerol content in white winemaking products determined by HPLC: Relationship to climate and varietal factors. 47:193-198.
See S. Franciolli. 50:404-408.
See M. López-Barajas. 49:97-402.
- Louie, D. T. See S. Hajrasuliha. 49:191-198.
- Loulakakis, K. A., K. A. Roubelakis-Angelakis, and A. K. Kanellis. Isolation of functional RNA from grapevine tissues poor in nucleic acid content. 47:181-185.
- Loureiro, V. B. See R. B. Ferreira. 51:22-28.
- Lozano, I. See J. I. Ibeas. 48:71-74, 75-79.
- Luz Silva, M., and F. X. Malcata. Relationships between storage conditions of grape pomace and volatile composition of spirits obtained therefrom. 49:56-64.

M

- Mafra, I., P. Herbert, L. Santos, P. Barros, and A. Alves. Evaluation of biogenic amines in some Portuguese quality wines by HPLC fluorescence detection of OPA derivatives. 50:128-132.
- Magee, J. B. See B. J. Ector. 47:57-62.
- Malcata, F. X. See M. Luz Silva. 49:56-64.
- Mangas, J. J. See A. Picinelli. 51:144-149.
- Manginot, C. See C. Dubois. 47:363-368.
- Mannheim, C. H. See D. Kadim. 50:33-39.
- Mannini, F. See S. Guidoni. 48:438-442.
- Marchal, R., V. Seguin, and A. Maujean. Quantification of interferences in the direct measurement of proteins in wines from the Champagne region using the Bradford method. 48:303-309.
See G. Liger-Belair. 50:317-323.
- Marcy, J. E. See B. W. Zeecklein. 48:397-402; 49:35-43, 259-265.
- Marin, M. R. Alcoholic fermentation modelling: Current state and perspectives. 50:166-178.
- Marinov, M. See F. Feuillat. 48:509-515.
- Martin, G. J., M. Mazure, C. Jouitteau, Y-L. Martin, L. Aguiel, and P. Allain. Characterization of the geographic origin of Bordeaux wines by a combined use of isotopic and trace element measurements. 50:409-417.
- Martin, Y.-L. See G. J. Martin. 50:409-417.
- Martin-Carron, N., A. Garcia-Alonso, I. Goñi, and F. Saura-Calixto. Nutritional and physiological properties of grape pomace as a potential food ingredient. 48:328-332.
- Martin-Tanguy, J. See L. Geny. 48:80-84, 85-92.
- Martínez, M. C., and J. E. Pérez. The forgotten vineyard of the Asturias Princedom (north of Spain) and ampelographic description of its grapevine cultivars (*Vitis vinifera* L.). 51:365-373.
- Martínez, P., L. Pérez Rodríguez, and T. Benítez. Velum formation by flor yeasts isolated from sherry wine. 48:55-62.
_____, L. Pérez Rodríguez, and T. Benítez. Evolution of flor yeast population during the biological aging of fino sherry wine. 48:160-168.
_____, J. Valcárcel, L. Pérez, and T. Benítez. Metabolism of *Saccharomyces cerevisiae* flor yeasts during fermentation and biological aging of fino sherry: By-products and aroma compounds. 49:340-350.
- Martínez de Toda, F., and J. C. Sancha. Characterization of wild vines in La Rioja (Spain). 50:443-446.
- _____, and J. C. Sancha. Long-term effects of simulated mechanical pruning on Grenache vines under drought conditions. 50:87-90.
- Martini, A., M. Ciani, and G. Scorzetti. Direct enumeration and isolation of wine yeasts from grape surfaces. 47:435-440.
- Martinson, T. E., R. Dunst, A. Lakso, and G. English-Loeb. Impact of feeding injury by eastern grape leafhopper (Homoptera:Cicadellidae) on yield and juice quality of Concord grapes. 48:291-302.
- Mas, A. See M. Constantí. 48:339-344.
- Masa, A. See J. R. Vidal. 50:69-75.
- Massolini, M., P. Caldentej, and A. Silva. Phenolic compounds in cork used for production of wine stoppers as affected by storage and boiling of cork slabs. 49:6-10.
- Masson, E., R. Baumes, M. Moutounet, and J.-L. Puech. The effect of kiln-drying on the levels of ellagitannins and volatile compounds of European oak (*Quercus petraea* Liebl.) stave wood. 51:201-214.
- Matricardi, L. Influence of toasting technique on color and ellagitannins of oak wood in barrel making. 50:519-526.
- Matsudo, T. See K. Yokotsuka. 48:471-481.
- Matthews, M. A. See R. S. Grant. 47:217-224, 403-409.
- See N. Kubota. 51:409-414.
- Maujean, A. See C. Dartiguenave. 51:347-351, 374-378.
See G. Liger-Belair. 50:317-323.
- See R. Marchal. 48:303-309.
- See S. Palacios. 48:525-526.
- See Y. Vasserot. 48:433-437.
- Mauricio, J. C. See E. Valero. 49:119-124.
- Mauromoustakos, A. See R. T. Threlfall. 50:57-64.
- Mazure, M. See G. J. Martin. 50:409-417.
- McCafferty, K. See M. D. Hale. 50:495-502.
- McFerson, J. R. See P. L. Forseline. 47:239-243.
- McLean, H. See A. Grimaldi. 51:357-364.
- M° Mahon, H. M., B. W. Zeecklein, and Y. W. Jasinski. The effects of pre-fermentation maceration temperature and percent alcohol (v/v) at press on the concentration of Cabernet Sauvignon grape glycosides and glycoside fractions. 50:385-390.
- Medina, M. R. See V. L. Gutierrez Afonso. 49:440-444.
- Mendum, M. L., and D. O. Adams. Substrate utilization by grape N-carbamoylputrescine amidohydrolase: the final enzyme in putrescine biosynthesis. 48:137-144.
- Meredith, C. P., J. E. Bowers, S. Riaz, V. Handley, E. B. Bandman, and G. S. Dangl. The identity and parentage of the variety known in California as Petite Sirah. 50:236-242.
See J. E. Bowers. 50:243-246.
See N. A. Irelan. 47:145-151.
- Mesa, J. J., J. J. Infante, L. Rebordinos, J. A. Sanchez, and J. M. Cantoral. Influence of the yeast genotypes on enological characteristics of sherry wines. 51:15-21.
- Meyer, U. M. See F. M. Dewey. 51:276-282.
- Milkus, B. N., and R. N. Goodman. A survey of Missouri vineyards for the presence of five grape viruses. 50:133-134.
- Millan, M. C. See E. Valero. 49:119-124.
- Miller, C. A. See T. S. Collins. 48:280-284.
- Miller, D. P., and G. S. Howell. Influence of vine capacity and crop load on canopy development, morphology, and dry matter partitioning in Concord grapevines. 49:183-190.
_____, G. S. Howell, and J. A. Flore. Effect of shoot number on potted grapevines: I. Canopy development and morphology. 47:244-250.
_____, G. S. Howell, and J. A. Flore. Effect of shoot number on potted grapevines: II. Dry Matter accumulation and partitioning. 47:251-256.
_____, G. S. Howell, and J. A. Flore. Influence of shoot number and crop load on potted Chambourcin grapevines. I. Morphology and dry matter partitioning. 47:380-388.
See R. P. Smithyman. 48:482-491; 49:163-170.
- Mills, J. M. See C. G. Edwards. 50:204-210.
- Mills, L. See N. S. Lang. 49:367-374.
- Mínguez, S., and P. Hernández. Tartaric stabilization of red, rosé, and white wines with L(+)-calcium tartrate crystal seeding. 49:177-182.
- Mink, G. I. See A. M. Morrell. 48:459-464, 465-470.
- Mirabel, M., C. Saucier, C. Guerra, and Y. Glories. Copigmentation in model wine solutions: Occurrence and relation to wine aging. 50:211-218.
- Moio, L. See F. Feuillat. 48:509-515.
- Monamy, C. See V. Gerbau. 48:49-54.
- Monique, A. See V. A. P. de Freitas. 51:397-403.
- Monis, J., and R. K. Bestwick. Detection and localization of grapevine leafroll associated closteroviruses in greenhouse and tissue culture grown plants. 47:199-205.

- Monteiro, S. See R. B. Ferreira. 51:22-28.
- Morales, M., J. Alcántara, and A. Ros Barceló. Oxidation of *trans*-resveratrol by a hypodermal peroxidase isoenzyme from Gamay rouge grape (*Vitis vinifera*) berries. 48:33-38.
- Moreno, S. See J. R. Vidal. 50:69-75.
- Morrell, A. M., R. L. Wample, G. I. Mink, and M. S. B. Ku. Expression of heat shock proteins in dormant buds of grape (*Vitis vinifera* L.). 48:465-470.
- _____, R. L. Wample, G. I. Mink, and M. S. B. Ku. Heat shock protein expression in leaves of Cabernet Sauvignon. 48:459-464.
- Morris, J. R. See T. V. Johnston. 47:323-328.
See R. T. Threlfall. 50:57-64.
- Mosedale, J. R., J.-L. Puech, and F. Feuillat. The influence on wine flavor of the oak species and natural variation of heartwood components. 50:503-512.
See J.-L. Puech. 50:469-478.
- Moutounet, M. See F. Brossaud 50:277-284.
See V. Cheynier. 48:225-228.
See T. Doco. 47:108-110; 50:28-32.
See E. Masson. 51:201-214.
See P. Sarni-Manchado. 50:81-86.
See A. Vernhet. 47:25-30; 50:51-56; 50:391-397; 398-403.
See S. Vidal. 51:115-121.
- Mulet, A. See M. Haba. 49:285-290.
- Muller, C. J. See T. M. Toland. 47:111-112.
See V. L. Wahlstrom. 47:225-226.
- Murmura, F. See A. Cichelli. 51:108-114.

N

- Nagao, A. See K. Yokotsuka. 50:1-12.
- Nakazawa, K. See K. Yokotsuka. 50:1-12.
- Namolosanu, I. See O. A. Antoce. 48:413-422.
- Navarro, G. See M. R. Salinas. 47:134-144.
- Naylor, A. P. See A. G. Reynolds. 47:63-76.
- Ndung'u, C. K., G. Okamoto, and K. Hirano. Use of water stress in forcing Kyoho grapevines to produce two crops per year. 47:157-162.
_____, M. Shimizu, G. Okamoto, and K. Hirano. Abscisic acid, carbohydrates, and nitrogen contents of Kyoho grapevines in relation to budbreak induction by water stress. 48:115-120.
- Nebot Sanz, E. See V. M. Palacios. 48:317-322.
- Nedjma, M. Influence of complex media composition, Cognac's brandy or Cognac, on the gas chromatography analysis of volatile sulfur compounds - preliminary results of the matrix effect. 48:333-338.
See F. Ayala. 48:370-376, 377-382.
- Negueruela, A. I. See F. Ayala. 50:359-363.
- Newton, J. See M. D. Hale. 50:495-502.
- Ng, E. See D. M. Goldberg. 47:415-420.
See G. J. Soleas. 48:169-176.
- Nicholson, R. L. See J. A. Sugui. 50:199-203.
- Nielsen, J. C., C. Prahl, and A. Lonvaud-Funel. Malolactic fermentation in wine by direct inoculation with freeze-dried *Leuconostoc oenos* cultures. 47:42-48.
- Nikolaou, N. See N. Karagiannidis. 51:269-275.
- Noble, A. C. See C. de la Presa-Owens. 48:310-316; 49:289-294.
See F. M. Dewey. 51:276-282.
See S. K. Park. 51:91-97.
- Noitsakis, B. See A. Patakas. 48:352-356; 50:76-80.
- Nurgel, C., and A. Canbas. Production of tartaric acid from pomace of

some Anatolian grape cultivars. 49:95-99.

O

- Odoardi, M. See A. Cichelli. 51:108-114.
- Okamoto, G. See P. H. Kimura. 47:152-156; 48:323-327; 49:1-5.
See C. K. Ndung'u. 47:157-162; 48:115-120.
- O'Keefe, S. F. See J. M. Auw. 47:279-286.
- Okuda, T., A. G. Pue, K. Fujiyama, and K. Yokotsuka. Purification and characterization of polyphenol oxidase from Muscat Bailey A grape juice. 50:137-143.
_____, and K. Yokotsuka. Levels of glutathione and activities of related enzymes during ripening of Kosho and Cabernet Sauvignon grapes and during winemaking. 50:264-270.
_____, and K. Yokotsuka. *Trans*-resveratrol concentrations in berry skins and wines from grapes grown in Japan. 47:93-99.
- Oliveira, M. Calculation of budbreak and flowering base temperatures for *Vitis vinifera* cv. Touriga Francesa in the Douro Region of Portugal. 49:74-78.
- Ollat, N., and J. P. Gaudillere. The effect of limiting leaf area during stage I of berry growth on development and composition of berries of *Vitis vinifera* L., cv. Cabernet Sauvignon. 49:251-258.
- Omer, A. D. See L. Kocsis. 50:101-106.
- Orriols, I. See C. Lema. 47:206-216.
- Ortega, J. M. See E. Valero. 49:119-124.
- Ortiz, J. M. See J. R. Vidal. 50:69-75.
- Osborn, M. M. See V. L. Wahlstrom. 47:225-226.
- Osmianski, J. See A. Vernhet. 47:25-30.
- Otsuka, K. See M. Sato. 48:1-6.

P Q

- Padgett-Johnson, M., L. E. Williams, and M. A. Walker. The influence of *Vitis riparia* rootstock on water relations and gas exchange of *Vitis vinifera* cv. Carignane scion under non-irrigated conditions. 51:137-143.
- Palacios, S., Y. Vasserot, and A. Maujean. Evidence for sulfur volatile products adsorption by yeast lees. 48:525-526.
- Palacios, V. M., E. Nebot Sanz, and L. Pérez Rodríguez. Use of factor analysis for the characterization and modelling of maturation of Palomino fino grapes in the Jerez region. 48:317-322.
- Pallioti, A., A. Cartechini, and F. Ferranti. Morpho-anatomical and physiological characteristics of primary and lateral shoot leaves of Cabernet Franc and Trebbiano Toscano grapevines under two irradiance regimes. 51:122-130.
- Pardo, F. See M. R. Salinas. 47:134-144.
- Park, S. K., R. B. Boulton, and A. C. Noble. Formation of hydrogen sulfide and glutathione during fermentation of white grape musts. 51:91-97.
- Parravicini, E. See G. Giovanelli. 47:429-434.
- Passos, I. R. S. See C. V. Pommer. 47:340-342.
- Patakas, A. Changes in the solutes contributing to osmotic potential during leaf ontogeny in grapevine leaves. 51:223-226.
_____, and B. Noitsakis. Cell wall elasticity as a mechanism to maintain favorable water relations during leaf ontogeny in grapevines. 48:352-356.
_____, and B. Noitsakis. Osmotic adjustment and partitioning of turgor responses to drought in grapevines leaves. 50:76-80.
- Pazo, M. See A. Vaamonde. 48:177-180.
- Pellerin, P. See T. Doco. 50:28-32.
See S. Francioli. 50:456-460.
See A. Vernhet. 47:25-30; 50:51-56; 50:391-397; 398-403.
See S. Vidal. 51:115-121.

- Peña, C. See A. Guitart. 50:253-258.
- Peña-Neira, A., T. Hernández, M. C. García-Vallejo, E. Cadahia, B. Fernandez de Simón, and J. A. Suarez. Low molecular weight phenols in cork stoppers. 50:285-290.
- Perdigones, F. See J. I. Ibeas. 48:71-74, 75-79.
- Pérez, F. J., C. Viani, and J. Retamales. Bioactive gibberellins in seeded and seedless grapes: Identification and changes in content during berry development. 51:315-318.
- Pérez, J. E. See M. C. Martínez. 51:365-373.
- Pérez-Coello, M. S., J. Sanz, and M. D. Cabezudo. Determination of volatile compounds in hydroalcoholic extracts of French and American oak wood. 50:162-165.
- Pérez Rodríguez, L. See P. Martínez. 48:55-62; 48:160-168; 49:340-350.
See V. M. Palacios. 48:317-322.
- Peri, C. See G. Giovanelli. 47:429-434.
- Peros, J., P. This, Y. Confuron, and H. Chacon. Comparison by isozyme and RAPD analysis of some isolates of the grapevine dieback fungus, *Eutypa lata*. 47:49-56.
- Peterson, J. C. See Y.-C. Huang. 47:1-10.
- Peuke, A. D. The chemical composition of xylem sap in *Vitis vinifera* L. cv. Riesling during vegetative growth on three different Franconian vineyard soils and as influenced by nitrogen fertilizer. 51:329-339.
- Peyrot des Gachons, C. See T. Tominaga. 51:178-181.
- Pezet, R., and Ph. Cuenat. Resveratrol in wine: Extraction from skin during fermentation and post-fermentation standing of must from Gamay grapes. 47:287-290.
- Phimphivong, S. See R. K. Austin. 48:121-124.
- Piçarra-Pereira, M. A. See R. B. Ferreira. 51:22-28.
- Picinelli, A., B. Suárez, L. García, and J. J. Mangas. Changes in phenolic contents during sparkling apple winemaking. 51:144-149.
- Planet, I. See N. Vivas. 49:49-55.
- Piacquadio, P. See M. Servili. 51:352-356.
- Pickering, G. J., D. A. Heatherbell, and M. F. Barnes. The production of reduced-alcohol wine using glucose oxidase treated juice.
Part I. Composition. 50:291-298.
Part II. Stability and SO₂-binding. 50:299-306.
Part III. Sensory 50:307-316.
, D. A. Heatherbell, L. P. Vanhanena, and M. F. Barnes. The effect of ethanol concentration on the temporal perception of viscosity and density in white wine. 49:306-318.
- Pinto, T. See B. S. Sun. 50:179-184.
- Pires, E. J. P. See C. V. Pommer. 47:340-342.
- Planque, J. See A. Vernhet. 50:51-56.
- Poblet, M. See M. Constantí. 48:339-344.
- Pommer, C. V., E. J. P. Pires, M. M. Terra, and I. R. S. Passos. Streptomycin-induced seedlessness in the grape cultivar Rubi (Italia Red). 47:340-342.
- Pomohaci, N. See O. A. Antoce. 48:413-422.
- Prahl, C. See J. C. Nielsen. 47:42-48.
- Price, S. F., See S. Gu. 47:173-180.
See A. G. Reynolds. 47:329-339.
See J. D. Wightman. 48:39-48.
- Prieur, C. See A. Vernhet. 47:25-30.
- Pue, A. G. See T. Okuda. 50:137-143.
- Puech, J.-L., F. Feuillat, and J. R. Mosedale. The tannins of oak heartwood: Structure, properties, and their influence on wine flavor. 50:469-478.
See F. Feuillat. 48:509-515; 50:513-518.
See E. Masson. 51:201-214.
- See J. R. Mosedale. 50:503-512.
- Puig, Ph. See M. Arellano. 48:403-412.
- Puig-Deu, M. See E. López-Tamames. 47:193-198.
- Quellec, N. See T. Doco. 50:28-32.
- Quesada Granados, J. See R. Gimenez Martinez. 47:441-446.

R

- Radler, F. See A. Gent. 48:423-427.
- Rainieri, S., C. Zambonelli, V. Tini, L. Castellari, and P. Giudici. The enological traits of thermotolerant *Saccharomyces* strains. 49:319-325.
- Rangel, A. O. S. S., and I. V. Tóth. Determination of ethanol in wines by flow injection spectrophotometry using gas-diffusion and an immobilized enzyme reactor. 50:259-263.
- Razungles, A. See A. Belancic. 48:181-186.
- Reader, H. P. See J. Bakker. 47:37-41; 50:271-276.
- Rebordinos, L. See J. J. Mesa. 51:15-21.
- Redon, C., P. Albert, I. Lacorre-Arescaldino, and J. Bierne. Electrophoretic heterogeneity of grapevine histones. 50:13-18.
See A. S. Renault. 51:81-87.
- Regner, F., A. Stadlbauer, C. Eisenheld, and H. Kaserer. Genetic relationships among Pinots and related cultivars. 51:7-14.
- Reid, C. L. See T. J. Burr. 47:119-123.
- Renault, A. S., A. Deloire, I. Letinois, E. Kraeva, C. Tesniere, A. Ageorges, C. Redon, and J. Bierne. B-1,3-Glucanase gene expression in grapevine leaves as a response to infection with *Botrytis cinerea*. 51:81-87.
- Retamales, J. See F. J. Pérez. 51:315-318.
- Retzlaff, W. A. See L. E. Williams. 51:49-54.
- Reynolds, A. G., W. S. Lanterman, and D. A. Wardle. Yield and berry composition of five *Vitis* cultivars as affected by *Rupestris* stem pitting virus. 48:449-458.
_____, L. J. Veto, P. L. Sholberg, D. A. Wardle, and P. Haag. Use of potassium silicate for the control of powdery mildew [*Uncinula necator* (Schwein) Burrell] in *Vitis vinifera* L. cultivar Bacchus. 47:421-428.
_____, D. A. Wardle, and M. Dever. Vine performance, fruit composition, and wine sensory attributes of Gewürztraminer in response to vineyard location and canopy manipulation. 47:77-92.
_____, D. A. Wardle, and A. P. Naylor. Impact of training system, vine spacing, and basal leaf removal on Riesling. Vine performance, berry composition, canopy microclimate, and vineyard labor requirements. 47:63-76.
_____, S. Yerle, B. T. Watson, S. F. Price, and D. A. Wardle. Fruit environment and crop level effects on Pinot noir. III. Composition and descriptive analysis of Oregon and British Columbia wines. 47:329-339.
See M. A. Cliff. 47:301-308.
See P. Delaquis. 51:42-48.
See C. G. Edwards. 50:204-210.
See B. Girard. 48:198-206.
- Riaz, S. See C. P. Meredith. 50:236-242.
- Ribeiro, A. See A. Caputi. 51:415-417.
- Ricardo-da-Silva, J. M. See B. S. Sun. 50:179-184.
- Rinadelli, E. See S. Biricolti. 48:93-99.
- Riponi, C. See M. Castellari. 49:91-94.
- Ritchey, J. G., and A. L. Waterhouse. A standard red wine: Monomeric phenolic analysis of commercial Cabernet Sauvignon wines. 50:91-100.
- Robillard, B. See G. Liger-Belair. 50:317-323.
- Robson, A. See S.-J. Bell. 50:351-358.

- Rodriguez, A. V. See C. G. Edwards. 50:204-210.
- Rogerson, F. S. S. See J. Bakker. 47:37-41.
- Rollan, G. See E. Coton. 49:199-204.
- Rolston, D. E. See S. Hajrasuliha. 49:191-198.
- Ros Barceló, A. See M. Morales. 48:33-38.
- Roubelakis-Angelakis, K. A. See K. A. Loulakakis. 47:181-185.
- Roustan, J.-L. See C. Dubois. 47:363-368.
See A. Julien. 51:215-222.
- Rowhani, A. See J. K. Uyemoto. 48:521-524.
- Roytchev, V. Inheritance of grape seedlessness in seeded and seedless hybrid combinations of grape cultivars with complex genealogy. 49:302-305.
_____. Palynological classification of seedless grape (*Vitis vinifera* L.) cultivars. 48:207-213. Ruffner, H. P. See L. P. Dreier 51:340-346.
- Ruperez, P. See J. A. Larrauri. 47:369-372.
- S**
- Sablayrolles, J.-M. See C. Dubois. 47:363-368.
See A. Julien. 51:215-222.
- Salinas, M. R., G. L. Alonso, G. Navarro, F. Pardo, J. Jimeno, and M.D. Huerta. Evolution of the aromatic composition of wines undergoing carbonic maceration under different aging conditions. 47:134-144.
- Samuta, T. See K. Hashizume. 50:194-198.
- Sancha, J. C. See F. Martínez de Toda. 50:87-90, 443-446.
- Sanchez, J. A. See J. J. Mesa. 51:15-21.
- Sánchez, P. See A. Vaamonde. 48:177-180.
- Sanger, M. See K. J. Dell. 49:11-16.
- Santamaría, M. P. See S. I. Epifanio. 50:219-224.
- Santos, L. See I. Festas. 51:150-154.
See I. Mafra. 50:128-132.
- Sanz, J. See M. S. Pérez-Coello. 50:162-165.
- Saraiva, M. L. M. F. S. See A. N. Araújo. 48:428-432.
- Sarni-Manchado, P., A. Deleris, S. Avallone, V. Cheynier, and M. Moutounet. Analysis and characterization of wine condensed tannins precipitated by proteins used as fining agents in enology. 50:81-86.
- Sato, M., Y. Suzuki, K. Hanamure, I. Katoh, Y. Yagi, and K. Otsuka. Winemaking from Koshu variety by the *sur lie* method: Behavior of free amino acids and proteolytic activities in the wine. 48:1-6.
See T. Yanai. 50:231-235.
See K. Yokotsuka. 50:1-12.
- Saucier, C., D. Little, and Y. Glories. First evidence of acetaldehyde-flavanol condensation products in red wine. 48:383-386.
See M. Mirabel. 50:211-218.
- Saura Calixto, F. See L. Bravo. 49:135-141.
See J. A. Larrauri. 47:369-372.
See N. Martin-Carron. 48:328-332.
- Sauvageot, F., and F. Feuillat. The influence of oak wood (*Quercus robur* L., *Q. petraea* Liebl.) on the flavor of Burgundy Pinot noir. An examination of variation among individual trees. 50:447-455.
_____, and P. Vivier. Effects of malolactic fermentation on sensory properties of four Burgundy wines. 48:187-192.
- Schllich, P. See C. de la Presa Owens. 49:289-294.
- Schneider, V. Must hyperoxidation: A review. 49:65-73.
- Sciancalepore, V. See M. Servili. 51:352-356.
- Scorzetti, G. See A. Martini. 47:435-440.
- Seguin, V. See R. Marchal. 48:303-309.
- Segura, A. See C. Cabaleiro. 50:40-44.
- Semancik, J. S. See J. A. Wolpert. 47:21-24.
- Semon, M. J. See C. G. Edwards. 50:204-210.
- Servens, C. See N. Vivas. 49:49-55.
- Servili, M., G. De Stefano, P. Piacquadio, and V. Sciancalepore. A novel method for removing phenols from grape must. 51:352-356.
- Shimizu, M. See C. K. Ndung'u. 48:115-120.
- Shirley, J. R. See A. L. Waterhouse. 51:383-389.
- Sholberg, P. L. See A. G. Reynolds. 47:421-428.
- Silva, A. See M. Massolini. 49:6-10.
- Simon-Sarkadi, L. See M. B. A. Glória. 49:279-282.
- Simonetti, M. S. See A. Cichelli. 51:108-114.
- Sims, C. A. See P. C. Anderson. 47:291-296.
See J. M. Auw. 47:279-286.
- Singleton, V. L. See M. Ibern-Gómez. 51:29-36.
See K. Yokotsuka. 47:268-278; 48:13-25, 100-114.
- Sipiora, M. J., and M.-J. Gutiérrez Granda. Effects of pre-veraison irrigation cutoff and skin contact time on the composition, color, and phenolic content of young Cabernet Sauvignon wines in Spain. 49:152-162.
- Smilanick, J. L. See R. K. Austin. 48:121-124.
- Smithyman, R. P., G. S. Howell, and D. P. Miller. Influence of canopy configuration on vegetative development, yield, and fruit composition of Seyval blanc grapevines. 48:482-491.
_____, G. S. Howell, and D. P. Miller. The use of competition for carbohydrates among vegetative and reproductive sinks to reduce fruit set and Botrytis bunch rot in Seyval blanc grapevines. 49:163-170.
See N. S. Lang. 49:367-374.
- Soleas, G. J., D. M. Goldberg, E. Ng, A. Karumanchiri, E. Tsang, and E. P. Diamandis. Comparative evaluation of four methods for assay of *cis*- and *trans*-resveratrol. 48:169-176.
See D. M. Golberg. 47:415-420; 49:23-34, 142-151; 50:185-193.
- Soufleros, E., M.-L Barrios, and A. Bertrand. Correlation between the content of biogenic amines and other wine compounds. Aminogenesis by indigenous malolactic flora and other lactic acid bacteria. 49:266-278.
- Souquet, J. M. See V. Cheynier. 48:225-228.
- Soyer, J.-P. See L. Geny. 48:85-92.
- Spiropoulos, A., J. Tanaka, I. Flerianos, and L. F. Bisson. Characterization of hydrogen sulfide formation in commercial and natural wine isolates of *Saccharomyces*. 51:233-248.
- Spranger, M. I. See B. S. Sun. 50:179-184.
- Spayd, S. E., and J. Andersen-Bagge. Free amino acid composition of grape juice from 12 *Vitis vinifera* cultivars in Washington. 47:389-402.
See J. M. Tarara. 51:182-188.
- Splitstoesser, D. F. See T. J. Burr. 47:119-123.
- Stadlbauer, A. See F. Regner. 51:7-14.
- Stoll, G. S. See L. P. Dreier. 51:340-346.
- Stover, E. W., H. J. Swartz, and T. J. Burr. Crown gall formation in a diverse collection of *Vitis* genotypes inoculated with *Agrobacterium vitis*. 48:26-32.
_____, H. J. Swartz, and T. J. Burr. *Agrobacterium vitis*-induced electrolyte leakage in crown gall-susceptible and -resistant grape genotypes. 48:145-149.
- Stushnoff, C. See I.-E. Dami. 47:297-300.
See R. A. Hamman. 47:31-36.

- Suarez, B. See A. Picinelli. 51:144-149.
- Suarez, J. A. See A. Peña-Neira. 50:285-290.
- Subden, R. E. See H. Volschenki. 48:193-197.
- Sugui, J. A., K. V. Wood, Z. Yang, C. C. Bonham, and R. L. Nicholson. Matrix-assisted laser desorption ionization mass spectrometry analysis of grape anthocyanins. 50:199-203.
- Sun, B. S., T. Pinto, M. C. Leandro, J. M. Ricardo-Da-Silva, and M. I. Spranger. Transfer of catechins and proanthocyanidins from solid parts of the grape cluster into wine. 50:179-184.
- Suzuki, Y. See M. Sato. 48:1-6.
- Swan, J. S. See M. D. Hale. 50:495-502.
- Swartz, H. J. See E. W. Stover. 48:26-32, 145-149.
- Szychowski, J. A. See J. A. Wolpert. 47:21-24.
- T**
- Takahagi, T. See N. Kubota. 51:409-414.
- Takahashi, K. See O. A. Antoce. 48:413-422.
- Takayanagi, T., and K. Yokotsuka. Angiotensin I converting enzyme-inhibitory peptides from wine. 50:65-68.
- _____, and K. Yokotsuka. Relationship between sucrose accumulation and sucrose-metabolizing enzymes in developing grapes. 48:403-407.
- Tamantini, I. See S. Biricolti. 48:93-99.
- Tanaka, J. See A. Spiropoulos. 51:233-248.
- Taormino, S. P. See J. A. De Benedictis. 47:373-379.
- Tarara, J. M., J. C. Ferguson, and S. E. Spayd. A chamber-free method of heating and cooling grape clusters in the vineyard. 51:182-188.
- Teissedre, P., C. Cabrera Vique, M. T. Cabanis, and J. C. Cabanis. Determination of nickel in French wines and grapes. 49:205-210.
- See C. Cabrera-Vique. 51:103-107.
- Teixeira, A. R. See R. B. Ferreira. 51:22-28.
- See E. López-Tamames. 47:193-198.
- Terra, M. M. See C. V. Pommer. 47:340-342.
- Tesniere, C. See A. S. Renault. 51:81-87.
- This, P., C. Cuisset, and J. M. Boursiquot. Development of stable RAPD markers for the identification of grapevine rootstocks and the analysis of genetic relationships. 48:492-501.
- See J. P. Peros. 47:49-56.
- Thorngate, J. H. The physiology of human sensory response to wine: A review. 48:271-279.
- Threlfall, R. T., J. R. Morris, and A. Mauromoustakos. Effect of variety, ultraviolet light exposure, and enological methods on the *trans*-resveratrol level of wine. 50:57-64.
- Tini, V. See S. Rainieri. 49:319-325.
- Todd, B. E. N., G. H. Fleet, and P. A. Henschke. Promotion of autolysis through the interaction of killer and sensitive yeasts: Potential application in sparkling wine production. 51:65-72.
- Toland, T. M., K.C. Fuglsang, and C. J. Muller. Methods for estimating protein instability in white wines: A comparison. 47:111-112.
- See V. L. Wahlstrom. 47:225-226.
- Tominaga, T., R. Baltenweck-Guyot, C. Peyrot des Gachons, and D. Dubourdieu. Contribution of volatile thiols to the aromas of white wines made from several *Vitis vinifera* grape varieties. 51:178-181.
- Tóth, I. V. See A. O. S. S. Rangel. 50:259-263.
- Towey, J. P., and A. L. Waterhouse. Barrel-to-barrel variation of volatile oak extractives in barrel-fermented Chardonnay. 47:17-20.
- _____, and A. L. Waterhouse. The extraction of volatile compounds from French and American oak barrels in Chardonnay during three successive vintages. 47:163-172.
- Traveso, C. See A. Vaamonde. 48:177-180.
- Tsang, E. See D. M. Goldberg. 49:23-34; 50:185-193.
- See G. J. Soleas. 48:169-176.
- Tuiskunen, M., and P. Lehtonen. Determination of the alcoholic strength of grape and fruit wines by simple analytical methods. 48:220-224.
- U V**
- Uhlig, B. A., and P. R. Clingeleffer. Ripening characteristics of the fruit from *Vitis vinifera* L. drying cultivars Sultana and Merbein Seedless under furrow irrigation. 49:375-382.
- Uyemoto, J. K., C. R. Krag, and A. Rowhani. An improved purification procedure for grapevine leafroll associated viruses. 48:521-524.
- Vaamonde, A., P. Sánchez, F. Vilariño, M. Pazo, and C. Traveso. On consistency of qualifications of winetasting panels. Application of multivariate statistical methods. 48:177-180.
- Vagnoli, P. See M. Kudo. 49:295-301.
- Vaillant, H. See P. Formisyn. 48:345-351.
- Valero, E., M. C. Millan, J. C. Mauricio, and J. M. Ortega. Effect of grape skin maceration on sterol, phospholipid, and fatty acid contents of *Saccharomyces cerevisiae* during alcoholic fermentation. 49:119-124.
- Valcárcel, J. See P. Martínez. 49:340-350.
- Vanhanena, L. P. See G. J. Pickering. 49:306-318.
- van Vuuren, H. J. J. See H. Volschenki. 48:193-197.
- Vas, G., K. Köteleky, M. Farkas, A. Dobó, and K. Vékey. Fast screening method for wine headspace compounds using solid-phase microextraction (SPME) and capillary GC technique. 49:100-104.
- Vasconcelos, M., and S. Castagnoli. Leaf canopy structure and vine performance. 51:390-396.
- Vasserot, Y., S. Caillet, and A. Maujean. Study of anthocyanin adsorption by yeast lees. Effect of Some physicochemical parameters. 48:433-437.
- Vasserot, Y. See S. Palacios. 48:525-526.
- Vasudevan, L., T. K. Wolf, G. G. Welbaum, and M. E. Wisniewski. Anatomical developments and effects of artificial shade on bud necrosis of Riesling grapevines. 49:429-439.
- Vékey, K. See G. Vas. 49:100-104.
- Vernhet, A., K. Dupré, L. Boulange-Petermann, V. Cheynier, P. Pellerin, and M. Moutounet. Composition of tartrate precipitates deposited on stainless steel tanks during the cold stabilization of wines. Part I. White wines. 50:391-397.
- Part II. Red wines 50:398-403.
- _____, P. Pellerin, M.-P. Belleville, J. Planque, and M. Moutounet. Relative impact of major wine polysaccharides on the performances of an organic microfiltration membrane. 50:51-56.
- _____, P. Pellerin, C. Prieur, J. Osmianski, and M. Moutounet. Charge properties of some grape and wine polysaccharide and polyphenolic fractions. 47:25-30.
- Veto, L. J. See A. G. Reynolds. 47:421-428.
- Viala, C. See P. Chatonnet. 48:443-448.
- Viani, C. See F. J. Pérez. 51:315-318.
- Vidal, J. R., S. Moreno, Y. Gogorcena, A. Masa, and J. M. Ortiz. On the genetic relationships and origins of six grape cultivars of Galicia (Spain) using RAPD markers. 50:69-75.
- Vidal, S., T. Doco, M. Moutounet, and P. Pellerin. Soluble polysaccharide content at initial time of experimental must preparation. 51:115-121.
- Vignes-Adler, M. See G. Liger-Belair. 50:317-323.
- Vignini, A. M. See S. Alessandri. 47:257-267.
- Vignozzi, N. See S. Alessandri. 47:257-267.
- See S. Biricolti. 48:93-99.

- Vilariño, F. See A. Vaamonde. 48:177-180.
- Viljoen, M. See H. Volschenki. 48:193-197.
- Villa, A. See V. Gerbaux. 48:49-54.
- Villalon Mire, M. See R. Gimenez Martinez. 47:441-446.
- Villanueva, M. J. See M. A. Esteban. 50:418-434.
- Vivas, N., and Y. Glories. Role of oak wood ellagitannins in the oxidation process of red wines during aging. 47:103-107.
- _____, I. Planet, G. Bourgeois, C. Vitry, C. Servens, and Y. Glories. Characterization of heartwood lignin fractions from *Quercus robur*L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. 49:49-55.
- Viviani-Nauer, A., P. Hoffmann-Boller, and J. Gafner. *In vitro* detection of folpet and its degradation to phthalimide in aqueous solutions and in yeast suspensions. 48:63-66.
- _____, P. Hoffmann-Boller, and J. Gafner. *In vivo* detection of folpet and its metabolite phthalimide in grape must and wine. 48:67-70.
- Vitry, C. See N. Vicas. 49:49-55.
- Vivier, A. See F. Sauvageot. 48:187-192.
- Vlassides, S. and D. E. Block. Evaluation of cell concentration profiles and mixing in unagitated wine fermentors. 51:73-80.
- Volschenki, H., M. Viljoen, J. Grobler, F. Bauer, A. Lonvaud-Funel, M. Denrayolles, R. E. Subden, and H. J. J. van Vuuren. Malolactic fermentation in grape musts by a genetically engineered strain of *Saccharomyces cerevisiae*. 48:193-197.
- Vrhovsek, U., S. Wendelin, and R. Eder. Effects of various vinification techniques on the concentration of *cis*- and *trans*-resveratrol and resveratrol glucoside isomers in wine. 48:214-219.
- W**
- Wahlstrom, V. L., M. M. Osborn, K. C. Fugelsang, T. M. Toland, and C. J. Muller. Sensitivity of wine yeasts to fluoride. 47:225-226.
- Walker, M. A., and L. Liu. See W. Grzegorczyk. 48:157-159; 49:17-22. See L. Kocsis. 50:101-106.
- See H. Lin. 49:403-407.
- See M. Padgett-Johnson. 51:137-143.
- Walsh, T. M. See R. A. Hamman. 47:31-36.
- Wample, R. L. Influence of pre- and post-treatment storage on rooting of hot-water-treated cuttings of Cabernet Sauvignon. 48:131-136. See N. S. Lang. 49:367-374.
- See A. M. Morrell. 48:459-464, 465-470.
- Wardle, D. A. See A. G. Reynolds. 47:63-76, 77-92, 329-339, 421-428; 48:449-458.
- Waterhouse, A. L., S. Ignelzi, and J. R. Shirley. A comparison of methods for quantifying oligomeric proanthocyanidins from grape seed extracts. 51:383-389. See T. S. Collins. 48:280-284.
- See L. Marticardi. 50:519-526.
- See J. G. Ritchey. 50:91-100.
- See J. P. Towey. 47:17-20, 163-172.
- Watkins, S. J. See J. Bakker. 47:37-41; 50:271-276.
- Watson, B. T. See M. B. A. Glória. 49:279-282. See J. D. Wightman. 48:39-48.
- Wegener, G. See A. Gent. 48:423-427.
- Weiss, K. C., T. Yip, T. W. Hutchens, and L. F. Bisson. Rapid and sensitive fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239.
- Welbaum, G. G. See L. Vasudevan. 49:429-439.
- Wendelin, S. See U. Vrhovsek. 48:214-219.

- Whiton, R. S., and B. W. Zeecklein. Optimization of headspace solid-phase microextraction for analysis of wine aroma compounds. 51:379-382.
- Wightman, J. D., S. F. Price, B. T. Watson, and R. E. Wrolstad. Some effects of processing enzymes on anthocyanins and phenolics in Pinot noir and Cabernet Sauvignon wines. 48:39-48.
- Wilker, K. L., and M. R. Dharmadhikari. Treatment of barrel wood infected with acetic acid bacteria. 48:516-520. See M. R. Dharmadhikari. 49:408-412.
- Williams, L. E., W. A. Retzlaff, W. Yang, P. J. Biscay, and N. Ebisuda. Effect of girdling on leaf gas exchange, water status, and non-structural carbohydrates of field-grown *Vitis vinifera* L. (cv. Flame Seedless). 51:49-54. See M. Padgett-Johnson. 51:137-143.
- Wisniewski, M. E. See L. Vasudevan. 49:429-439.
- Wolf, T. K. See E. R. Capps. 51:319-328. See L. Vasudevan. 49:429-439.
- See B. W. Zeecklein. 49:35-43, 259-265.
- Wolpert, J. A., J. A. Szchowski, J. S. Semancik. Effect of viroids on growth, yield, and maturity indices of Cabernet Sauvignon grapevines. 47:21-24.
- Wong, J. W., and C. A. Halverson. Multiresidue analysis of pesticides in wines using C-18 solid-phase extraction and gas chromatography-mass spectrometry. 50:435-442.
- Wood, K. V. See J. A. Sugui. 50:199-203.
- Wrolstad, R. E. See J. D. Wightman. 48:39-48.
- X Y Z**
- Yagi, Y. See M. Sato. 48:1-6.
- Yajima, M. See K. Yokotsuka. 48:471-481.
- Yanai, T., and M. Sato. Isolation and properties of β -glucosidase produced by *Debaryomyces hansenii* and its application in winemaking. 50:231-235.
- Yang, W. See L. E. Williams. 51:49-54.
- Yang, Z. See J. A. Sugui. 50:199-203.
- Yerle, S. See A. G. Reynolds. 47:329-339.
- Yip, T. See K. C. Weiss. 49:231-239.
- Yokotsuka, K., A. Nagao, K. Nakazawa, and M. Sato. Changes in anthocyanins in berry skins of Merlot and Cabernet Sauvignon grapes grown in two soils modified with limestone or oyster shell versus a native soil over two years. 50:1-12. _____, and V. L. Singleton. Disappearance of anthocyanins as grape juice is prepared and oxidized with PPO and PPO substrates. 48:13-25.
- _____, and V. L. Singleton. Glycoproteins: Characterization in a hybrid grape variety (Muscat Bailey A) juice, fermenting must, and resultant red wine. 48:100-114.
- _____, and V. L. Singleton. Grape seed nitrogenous components and possible contribution to wines. 47:268-278.
- _____, M. Yajima, and T. Matsudo. Production of bottle-fermented sparkling wine using yeast immobilized in double-layer gel beads or strands. 48:471-481. See T. Okuda. 47:37-41; 50:264-270; 50:137-143.
- See T. Takayanagi. 48:403-407; 50:65-68.
- Yoshimura, M. See T. J. Burr. 47:119-123.
- Ypema, H. L., and W. D. Gubler. The distribution of early season grapevine shoots infected by *Uncinula necator* from year to year: A case study in two California vineyards. 51:1-6.
- Zagatto, E. A. G. See A. N. Araújo. 48:428-432.
- Zambonelli, C. See L. Bertolini. 47:343-345.
- See S. Rainieri. 49:319-325.

- Zamora, F. See J. N. Canals. 49:383-388.
- Zironi, R., E. Celotti, and F. Battistutta. Research for a marker of the hyperoxygenation treatment of musts for the production of white wines. 48:150-156.
- Zoccolan, E. See E. Celotti. 50:343-350.
- Zoecklein, B. W., J. E. Marcy, and Y. Jasinski. Effect of fermentation, storage *sur lie* or post-fermentation thermal processing on White Riesling (*Vitis vinifera* L.) glycoconjugates. 48:397-402.
- _____, T. K. Wolf, S. E. Duncan, J. E. Marcy, and Y. Jasinski. Effect of fruit zone leaf removal on total glycoconjugates and conjugate fraction concentration of Riesling and Chardonnay (*Vitis vinifera* L.) grapes. 49:259-265.
- _____, T. K. Wolf, J. E. Marcy, and Y. Jasinski. Effect of fruit zone leaf thinning on total glycosides and selected aglycone concentrations of Riesling (*Vitis vinifera* L.) grapes. 49:35-43.
- See H. M. Mc Mahon. 50:385-390.
- See R. S. Whiton. 51:379-382.

Am. J. Enol. Vitic., Vol. 51, No. 4, 2000

Subject Index

- Abscisic acid. contents in Kyoho vines in relation to budbreak induction by water stress. 48:115-120.
in xylem sap. 51:329-339.
- Acetaldehyde. -flavanol condensation products in red wine. 48:370-373.
in Sherry wines. 51:15-21.
- Acetic acid bacteria. barrel wood treatment. 48:516-520.
- Acetic acid. production. inhibition by lysozyme addition. 48:49-54.
stuck fermentation. 50:204-210.
- Acid(s). See also specific acids.
amperometric biosensors for assays of L-malic and D-lactic acids in wines. 47:11-16.
organic. determination by capillary electrophoresis. 50:154-161.
yeast growth inhibition. 48:413-422.
- Acidification of must by genetically engineered yeast to produce lactic acid bacteria. 50:45-50.
- Adsorption. anthocyanin(s). by yeast lees. 48:433-437.
- Aerobic metabolism of flor yeasts in sherry. 48:71-79.
- Aging. fino sherry. 49:240-250; 51:98-102.
wine. barrel aging. 47:103-107, 163-172.
biological aging of sherry. 48:71-79, 160-168; 51:98-102.
bottle aging. utilization of free amino acids. 47:313-322.
yeast immobilized in double-layer gel beads or strands. 48:471-481.
carbonic maceration effects on aroma. 47:134-144.
condensation products. 48:370-373.
copigmentation. 50:211-218.
ellagitannin effects on oxidation. 47:103-107.
low-alcohol wines. 50:299-306.
oak. 47:103-107, 163-182, 441-446; 50:33-39, 469-478, 479-494, 503-512, 513-218, 519-526.
phenolic compounds. 47:441-446; 50:33-39.
polysaccharide patterns. 50:25-32.
reduced-alcohol wines. 50:299-306.
sparkling wine. 50:404-408; 51:29-36.
volatile compounds in hydroalcoholic extracts from oak. 50:162-165.
with yeast. 50:404-408.
wood heat treatment effects on spirits. 47:441-446.
- Agrobacterium tumefaciens*. 47:145-151; 48:131-136.
- Agrobacterium vitis*. biological control of crown gall. 48:26-32.
DNA fingerprinting. 47:145-151.
electrolyte leakage. 48:145-149.
heat treatment effects on survival. 47:119-123.
polygalacturonase. 48:145-149.
- Albaña vines. virus effects on field performance. 48:7-12.
- Albariño wine. aroma. 47:206-216.
- Alcohol(s). at dejuice. 50:385-390.
yeast growth inhibition. 48:413-422.
- Alcoholic fermentation. See also Fermentation.
acetic acid role in. 50:204-210.
analysis of yeast populations during. 48:339-344.
computer modelling. 50:166-178.
folpet degradation to phthalimide. 48:67-70.
kinetics. 47:363-368, 429-434.
lactic acid bacteria/yeast effects on. 47:1-10; 50:45-50.
must filtration effects on amino acid utilization. 47:313-322.
skin maceration effect on lipid composition of *Saccharomyces cerevisiae*. 49:119-124.
yeast/lactic acid bacteria effects on. 47:1-10.
- Aldehydes. in alcoholic beverages. 50:324-333.
- Alkaline phosphatase. tannin analysis. 50:247-252.
- American oak.
See also Oak.
- Amidohydrolase. 48:137-144.
- Amines. biogenic. determination by HPLC. 47:127-133.
lysozyme control. 48:49-54.
- Amino acid(s). composition in grape juice and must. 47:389-402; 51:227-232.
concentrations in Koshu *sur lie* wine. 48:1-6.
changes during Tempranillo ripening. 50:144-154.
in red wines. 48:100-114.
contribution to buffering capacity of wines. 51:347-351, 352-356.
determination in wines. 47:127-133; 48:225-228.
effect of clarification treatments. 49:389-396.
extraction from grape seeds. 47:268-278.
from seeds to wine. 47:268-278.
Port wine. 47:37-41; 51:262-268.
relationship to Chardonnay must and wine aromas. 50:253-258.
utilization during fermentation and bottle-aging of wine. 47:313-322.
verification of wine origin. 47:410-414.
- Ammonium. grapevine tissue content. 47:173-180.
sulfate. precipitation. 48:100-114.
- Ampelography. rootstock. 49:403-407.
Vitis. 47:257-267; 49:86-90; 51:370-378.
- Ampelometry. biometrical data from *Vitis* spp. leaves. 47:257-267.
- Amperometric biosensors for assays of L-malic and D-lactic acids in wines. 47:11-16.
- Anaerobiosis. 47:134-144.
- Analysis. See also specific analysis.
alcohol content of wine. 48:214-219.
aldehydes in alcoholic beverages by GC. 50:324-333.
amino acids. 47:127-133.
arginine. 51:227-232.
cysteamine derivatization procedure. 50:324-333.
ethanol content in wine by capillary electrophoresis. 48:280-284.
fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239.
glycerol content of wine. 47:193-198.
glycoproteins. 48:100-114.
HPLC quantification of biogenic amines and amino acids in wine. 49:266-278.
isozyme. of *Eutypa lata*. 47:49-56.
metal content in wine. 51:131-136.
methods and proficiency survey. 50:461-465.
organic acids. 47:193-198.
protein fraction analysis of white wine by FPLC. 49:383-388.
RAPD. of *Agrobacterium* biovars. 47:145-151.
of *Eutypa lata*. 47:49-56.
sequential injection. determination of L-lactate in wine. 48:428-432.
solid phase extraction determination of mono- and diglycerides. 51:415-417.
sugars in wine. 47:193-198.
volatile components of wine. 49:44-48.
- Angiotensin I converting enzyme (ACE). 50:65-68.
- Anthocyanin(s). adsorption by yeast lees. 48:433-437.
analysis by MALDI. 50:199-203.
berry skins. 50:1-12.
changes during fermentation and post-fermentation standing of musts. 48:225-228.
copigmentation relative to aging. 50:211-218.

- determination by electrospray ionization. 51:55-64.
 differences among planting sites. 50:277-284.
 irrigation cut-off time effects on. 49:152-162.
 pigments. 48:39-48.
 polymers. circular dichroism and spectroscopic studies in red wines. 47:323-328.
 polyphenoloxidase effects on color. 48:13-25.
 processing enzyme effects on. 48:39-48.
 skin fermentation time effects on. 47:323-328; 49:152-162.
 soil nutrient effects on in berry skins. 50:1-12.
 standard red wine. 50:91-100.
 use in verification of wine origin. 47:410-414.
 virus presence effects in berry and leaf. 48:438-442.
- Antibodies.** wine protein analyses. 51:22-28.
- Antioxidant(s).** activity in grape pomace. 47:369-372.
 from grape seed extract. 51:383-389.
- Arabinogalactan(s).** 47:108-110; 50:25-32, 51-56; 51:115-121.
 charge properties. 47:25-30.
- Arbuscular mycorrhizae.** 51:269-275.
- Arginine.** 47:389-402; 51:227-232.
- Aroma, wine.** See also *Sensory*.
 amino acid content of must and wine relationship to. 50:253-258.
 analysis by HS-SPME of sparkling wine. 50:404-408.
 canopy management effects on. 47:63-76, 77-92.
 carbonic maceration effects on. 47:134-144.
 compounds. in Merlot clone wines. 49:44-48.
 in Pisco. 51:404-408.
 in sherry wines. 49:240-250.
 descriptive analysis. 49:289-294.
 enhancement. 50:231-235.
 ethylphenols. 48:443-448.
 β -glycosidase. 51:362-369.
 headspace analysis. 51:379-382.
 hydrogen sulfide. 50:334-342.
 malolactic cultures effects on Chanceller. 51:42-48.
Méthode Champenoise process effect on. 49:289-294.
Oenococcus oeni. 51:362-369.
 polyphenolic components of red wines. 48:443-448.
 potential of Muscat grapes for Pisco production. 51:404-408.
 physiology of human sensory response to. 48:271-279.
 precursors. 51:404-408.
Saccharomyces and non-*Saccharomyces* contribution to aroma components. 47:206-216.
 skin contact time relationship to. 47:309-312.
 sparkling wine. 50:404-408.
 storage temperature effects on Chardonnay. 48:310-316.
- Aromatic composition** of Muscat grapes. 48:181-186.
- Artificial neural networks** analysis. 51:108-114.
- Aspergillus niger*. 51:276-282.
- Assay.** amperometric biosensors for L-malic and D-lactic acids in wines. 47:11-16.
 arginine. 51:227-232.
 Bradford. protein measurement. 48:303-309.
 resveratrol. 48:169-176; 51:37-41.
- Astringency** in wine. See also *Sensory*.
- Autochthonous grapevine cultivars.** 51:370-378.
- Autolysis.** 51:65-72.
- Author index.** 48:533-546.
- Authors' guide.** 48:527-532.
- B**
- Bagaceira*. 49:56-94.
- Barrel(s), aging.** See also *Aging*.
 aromatic composition of wine. 47:134-144.
 phenols influence on wine flavor. 47:441-446.
 ellagitannin role in oxidation of red wine. 47:103-107.
 -fermented Chardonnay wines. 47:17-20.
 infected with acetic acid bacteria. 48:516-520.
- Budbreak.** calculation of. 49:74-78.
 control. 51:409-414.
 induced by water stress. 48:115-120.
- Buffering capacity** of tartaric and malic acids. 51:347-351, 352-356.
- Bunch rot.** See *Botrytis cinerea*.
- Bunch stem necrosis.** 51:319-328.
- Burgundy wines, barrel-aging.** 50:513-218.

C

- Cabernet Sauvignon grapevines. See also Grapevine(s).
 disease. 47:21-24.
 glutathione. 50:264-270.
 irrigation effects on color, anthocyanins, phenols. 49:152-162.
 leaf area effect on berries. 49:251-258.
 nitrogen fertilization. 50:351-358.
 phosphorus availability. scion and rootstock influence on shoot growth, leaf area, and petiole P. 47:217-224.
 polyamines in fruiting cuttings. 48:80-84, 85-92.
 potassium nutrition. 48:85-92.
 rooting of hot-water-treated cuttings. 48:131-136.
 viroids effect on. 47:21-24.
- Cabernet Sauvignon wine. anthocyanin polymer structures. 47:323-328.
 catechin and epicatechin concentrations. 49:23-34.
 glycosides. 50:385-390.
 irrigation effects on color, anthocyanins, phenols. 49:152-162.
 processing effects on phenolics and color. 47:279-286.
 processing enzymes effects on anthocyanins and phenolics. 48:39-48.
 resveratrol glucosides. 47:415-420.
 skin contact time. effects on color, anthocyanins, phenols. 49:152-162.
- Cadmium uptake in vines. 51:269-275.
- Calcium. budbreak control. 51:409-414.
 tartrate. seeding. 49:177-182.
- Calorimetry. heat formation during malolactic fermentation. 48:423-427.
 yeast growth inhibition by alcohols and organic acids. 48:413-422.
- Canary Island wines. descriptive analysis. 49:440-444.
- Candida*. characterization by DNA. 48:339-344.
- Canopy management. See also Grapevine, Trellising.
 artificial shading effects on bud necrosis. 49:429-439.
 hand and mechanized pruning effects on. 47:291-296.
 chamber-free method for heating and cooling clusters. 51:182-188.
 cluster zone leaf removal. 51:390-396.
 density. nitrogen fertilization effects on. 50:351-358.
 division. 47:63-76, 329-339.
 fruit set. 49:163-170.
 Gewürztraminer vines. 47:77-92.
 lateral shoot length. 51:390-396.
 morphology. 49:183-190.
 Muscat grapes. sun exposure effects on aromatic composition. 48:181-186.
 Pinot noir vines. 47:329-339.
 Riesling vines. 47:63-76; 49:429-439.
 Seyval blanc vines. 49:163-170.
 shading effects. on bud necrosis. 49:429-439.
 shoot density. 47:329-339.
 shoot tipping. 51:390-396.
 sun exposure effects on aromatic composition. 48:181-186.
- Canopy microclimate. See Canopy management.
- Capillary electrophoresis. organic acid determination in juice and wine. 50:154-161.
 wine protein analysis. 50:120-127.
- Carbohydrate(s), in grapevines. reserves. 48:115-120.
 seasonal changes in Chardonnay and Riesling. 47:31-36.
- Carbon partitioning. 49:183-190.
- Carbonic maceration. aromatic composition of wine. 47:134-144.
- Carboxylic acid(s). skin contact effects on in wine. 47:309-312.
- Carboxypeptidase. 48:1-6.
- Catechin(s). concentration in wine. 49:23-34; 50:185-193.
 in seeds and skins. 51:397-403.
 transfer from grape cluster solid parts into wine. 50:179-184.
- virus presence effects on berry and leaf. 48:438-442.
- Cava. age determination. 50:404-408.
- Botrytis cinerea* effect on pectolytic composition of base wines. 50:456-460.
- browning. 51:29-36.
- Cell wall. elasticity in leaf. 48:352-356.
 porosity and macromolecule excretion of *Saccharomyces cerevisiae* cultivated on grape juice. 49:325-332.
- Cellulase from Muscadine grapes. 50:19-24.
- Certified brand of origin. 47:410-414.
- Chalcone synthase. 47:181-185.
- Chambourcin grapevines. morphology and dry matter partitioning. 47:380-388.
- Chambourcin wine. processing effects on phenolics and color. 47:279-286.
- Champagne wine. bubble nucleation. 50:317-323.
 protein measurement. 48:303-309.
- Chancellor wines. 51:42-48.
- Characterization. of cellulase from Muscadine grapes. 50:19-24.
 of Palomino fino grapes. 48:317-322.
 of polyphenol oxidase from Muscat Bailey A juice. 50:137-143.
- Chardonnay grapevines. carbohydrate seasonal changes. 47:31-36.
 effect of fruit zone leaf removal on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 methanol toxicity. 47:297-300.
 soluble sugars. 47:31-36.
- Chardonnay wine. amino acids. 49:389-396; 50:253-258.
 clarification treatments. 49:389-396.
 storage temperature effects on aroma. 48:310-316.
 volatile oak extractives. 47:17-20, 163-172.
- Charge properties of grape and wine polysaccharides and polyphenolic fractions. 47:25-30.
- Chemical composition of wine. determination. 51:108-114.
- Chemiluminescence. 48:333-338.
- Chenin blanc grapevines. phosphorus availability, scion and rootstock influence on shoot growth, leaf area, and petiole P. 47:217-224.
- Chlorophyll. fluorescence in blackleaf-affected Concord vines. 49:367-374.
- Chromatography, capillary gas liquid. -solid-phase microextraction to determine headspace compounds. 49:100-104.
- Chromatography, gas. acetate content of wine. 47:309-312.
 aldehydes in alcoholic beverages. 50:324-333.
 fatty acid content of wine. 47:309-312.
 higher alcohol quantification. 47:309-312.
 -olfactometry. determination of changes in sensory characteristics
 pesticide residue analysis in wines. 50:435-442.
 sulfur compounds analysis. 48:333-338.
 trans-resveratrol measurement in wines. 48:169-176.
 volatile compounds analysis. 47:309-312.
- Chromatography, high performance liquid (HPLC). amino acid determination. 48:229-235.
 carbohydrate seasonal changes determination in *Vitis vinifera*. 47:31-36.
 carboxylic acids analysis in wine. 47:309-312.
 determination of amines and amino acids in wines. 47:127-133.
 -ethanol analysis in wine. 47:309-312.
 folpet detection in aqueous solutions and yeast suspensions. 48:63-66.
 in must and wine. 48:67-70.
 glycerol analysis in wine. 47:309-312.
 glycoproteins. 48:100-114.
 phenolic(s). compositional changes in Hungarian red wine during phenolic determination. 48:438-442.
 polyphenol concentrations in wines. 50:185-193; 51:144-149.
 quantification of biogenic amines and amino acids in wine. 49:266-278.
 resveratrol. 47:415-420; 48:169-176, 214-219; 50:185-193.
 sugar and organic acid determinations in wines. 47:193-198, 309-312.
- Chromatography, thermal desorption-gas. 47:134-144.
- Cider. 51:144-149.

Cinnamic aldehydes. wood treatment and temperature effects on in wine spirit mixtures. 47:441-446.

Circular dichroism. study of anthocyanin polymer structures. 47:323-328.

Clarification, must and wine. 47:313-322; 49:389-396.
practice influence on wild yeast strain selection. 50:219-224.

Classification. of wine origins. 47:410-414.

Climate. 47:193-198; 51:249-261.

Clone(s). selection. agronomic, enological performances. 48:438-442.
Nebbiolo. 48:438-442.
Primitivo. 47:124-126.
Zinfandel. 47:124-126.

Closteroviruses. detection and localization of grapevine leafroll. 47:199-205; 239-243.

Cluster. heating and cooling. 51:182-188.
thinning. effect on composition and descriptive analysis of wine. 47:329-339.
effects on fruit set and botrytis. 49:163-170.
leaf canopy structure effects on. 51:390-396.

Cognac aging. volatile sulfur compounds. 48:333-338.

Collaborative testing. 50:461-465.

Cold hardiness, grapevine. Chardonnay. 47:31-36.
Riesling. 47:31-36.
seasonal deacclimation patterns. 47:100-102.

Cold soak. effects of glucosides. 50:385-390.

Cold stabilization. 50:391-397, 398-403.

Colloids. inhibitory effect on tartaric precipitation. 50:343-350.

Color, juice. 417-422.
polyphenoloxidase effects on. 48:13-25.
processing effects on. 47:279-286.

Color. See also Anthocyanin, Browning.
brandy. 50:359-363.
irrigation effects on. 49:152-162.
measurement. 48:357-363, 364-369; 50:359-363.
processing effects on. 47:279-286.
skin contact time. effects on. 49:152-162.

Computer modelling of alcoholic fermentation. 50:166-178.

Concord grapevines. blackleaf. 49:367-374.
leafhopper feeding impact on yield and juice quality. 48:291-302.
dry matter partitioning. 49:183-190.

Concord juice. leafhopper feeding impact on juice quality. 48:291-302.

Condensation products in red wine. 48:370-373.

Condensed tannins. in fined wines. 50:81-86.
in grape pomace. 49:135-141.

Cooperage. 50:447-455, 469-478, 479-494, 503-512, 513-218, 519-526; 51:201-214.
ellagitannins in kiln-dried oak. 51:201-214.
lignin fractions. 49:49-55.
variations in volatile oak extractives. 47:17-20; 49:79-85.

Copigmentation in model wine solutions. 50:211-218.

Copper content in wine. 51:131-136.

Copper chelate regenerable carrier for removal of phenols from must. 51:357-361.

Cork(s). phenolic compounds. 49:6-10; 50:285-290.
processing of cork slabs. 49:6-10.

Crop level. Crop level. canopy management effects on. 49:163-170.

Crown gall. 47:145-151; 48:26-32.
electrolyte leakage. 48:145-149.
genetic analysis. 47:145-151.
heat treatment effects on survival. 47:119-123.
hot water treatment of dormant cuttings. 48:131-136.
resistance. 48:145-149.

Cyanamides. effects on budbreak. 51:409-414.

Cyanidin. grape. 50:199-203.

Cysteamine derivatization. 50:324-333.

D

Daktulosphaira vitifoliae. See also Phylloxera.
host utilization. 47:373-379.

Debaromyces hansenii. isolation and properties. 50:231-235.

Deacidification of high malate must with *Schizosaccharomyces pombe*. 49:408-412.

Defoaming agent. 51:415-417.

Delphinidin. grape. 50:199-203.

Demethylation inhibitor (DMI). 49:11-16.

Derivatization. amino acids. 48:229-235.

Descriptive sensory analysis. See also Sensory.
Canary Island wines. 49:440-444.
fruit environment and crop levels effect on wine. 47:329-339.
Méthode Champenoise process effect on aroma. 49:289-294.
of low-alcohol wines. 50:307-316.
of Pinot noir wine. 47:329-339.
of table grapes. 47:301-308.
reduced-alcohol wines. 50:307-316.
storage temperature effects on Chardonnay. 48:310-316.

Dessèchement de la rafle. 51:319-328.

Dessert wines. alcoholic strength determination. 48:220-224.

Diaminopropane. in fruiting cuttings. 48:80-84, 85-92.

Dietary fiber. grape pomace potential as a food ingredient. 48:328-332; 49:135-141.

Differentiation. between wines of two close viticultural zones. 48:285-291.

Discriminant analysis. biometrical data from *Vitis* leaves. 47:257-267.
Port wine. 51:262-268.

Disease, grapevine. See also specific disease.
Agrobacterium vitis. genetic analysis. 47:145-151.
heat treatment effects on survival. 47:119-123.
blackleaf-affected Concord vines. 49:367-374.
Botrytis cinerea. 49:11-16.
bunchstem necrosis. 47:173-180.
crown gall. 47:145-151; 48:26-32.
genetic analysis. 47:145-151.
heat treatment effects on survival of *A. vitis*. 47:119-123.
Eutypa lata. 47:49-56.
grapevine dieback. 47:49-56.
inflorescence necrosis. nitrogen source effects on. 47:173-180.
shading effects on. 47:173-180.
leafroll. detection by ELISA and symptomatology. 47:239-243.
effects on physiology and must. 50:40-44.
relationship to varietal factors and climate. 47:193-198.
phylloxera. host utilization. 47:373-379.
powdery mildew. potassium silicate for control. 47:421-428.
Stylet-Oil. 49:11-16.
transmissible agent. 47:21-24.
Uncinula necator. control with potassium silicate. 47:421-428.
viroids. effects on Cabernet Sauvignon vines. 47:21-24.

Distilled beverages. major volatile responses to processing. 49:56-94.
marc distillates. 49:56-94.
Pisco. 51:404-408.

D-lactic acid assay by amperometric biosensors 47:11-16.

DMS. See Dimethylsulfide.

DMSO. See Dimethylsulfoxide.

DNA. fingerprinting. *Agrobacterium* biovars. 47:145-151.
marker analysis. 47:145-151; 50:236-242.
polymorphism. 50:236-242, 243-246.

Droplet countercurrent chromatography (DCCC). See Chromatography.

Dry matter partitioning. of Chambourcin grapevines. 47:380-388.
of Concord grapevines. 49:183-190.

Drying varieties. ripening characteristics. 49:375-382.

E

Economic. leafhopper impact on Concord. 48:291-302.

Effervescence in Champagne. 50:317-323.

- Elastic adjustment of leaf tissue. 50:76-80.
- Electron microscopy. palynobiometric study of seedless grape cultivars. 48:207-213.
- Electrophoresis. ethanol analysis in wine. 48:280-284.
histone heterogeneity study. 50:13-18.
simultaneous separation of organic and inorganic acids. 48:408-412.
soluble protein analysis. 48:100-114.
- Electrospray ionization. 51:55-64.
- Electrostatic interactions. polysaccharide and polyphenolic fractions. 47:25-30.
- Electrothermal atomization-atomic absorption spectrometry for determination of manganese content. 51:103-107.
- ELISA test. botrytis quantification. 51:276-282.
virus detection. 47:199-205, 239-243.
- Ellagitannin. content of oak wood. 47:17-20, 103-107; 48:502-508, 509-515.
- Emir grapes. 49:95-99.
- Enological. practices. influence on selection of wild yeast strains during spontaneous fermentation. 50:219-224.
traits of thermotolerant *Saccharomyces cerevisiae*. 49:319-324.
- Enzymatic reactor for initiating malolactic fermentation. 48:345-351.
- Enzyme(s). inhibitor. 48:1-6.
processing. effects on anthocyanins and phenolics. 48:39-48.
- Epicatechin. concentrations in red wines. 49:23-34; 51:397-403.
- Erythroneura comes*. feeding impact on yield and juice quality of Concord. 48:291-302.
- Ethanol. analysis in wine. 48:280-284; 50:259-263.
concentration effects on temporal perception of viscosity and density. 49:306-318.
effects on biological aging of sherry. 48:71-79.
toxicity. fermentation arrest. 50:107-119.
- Ethyl carbamate. 51:227-232.
- Eutypa lata*. 47:49-56.
- Evapotranspiration. 51:340-346.
- Extraction kinetics of phenolics from oak. 50:33-39.
- F**
- Factor analysis. for characterization and modelling of maturation of grapes. 48:317-322.
- Fermentation. alcoholic. acetic acid effects on. 47:11-16; 50:204-210.
computer modelling. 50:166-178.
free amino acid utilization. 47:313-322.
kinetics. 47:363-368, 429-434.
lactic acid bacteria/yeast effects on. 47:1-10.
must deacidification with *Schizosaccharomyces pombe*. 49:408-412.
skin maceration effect on lipid composition of *Saccharomyces cerevisiae*. 49:119-124.
vacuum filtration of must. 47:313-322.
yeast populations. 48:339-344.
- buffering capacity . 51:347-351, 352-356.
- catechin(s). transfer from grape cluster into wine. 50:179-184.
- ethanol toxicity. 50:107-119.
- enological traits of thermotolerant *Saccharomyces cerevisiae*. 49:319-324.
- glycoconjugates. effects on. 48:397-402.
- hexose transport capacity. 50:107-119.
- kinetics. 47:363-368; 51:73-80.
- malolactic. See also Malolactic fermentation.
amperometric biosensors for assays of L-malic and D-lactic acids. 47:11-16.
by a genetically engineered strain of *S. cerevisiae*. 48:193-197; 50:45-50.
enzyme reactor to initiate. 48:345-351.
freeze-dried *L. oenos* inoculation. 47:42-48.
malolactic cultures effects on Chancellor wine. 51:42-48.
mannoprotein production in juice and must. 49:325-332.
- natural. 47:435-440.
- oxygen demands of yeasts. 51:215-222.
- pH and potassium effect on stuck fermentations. 49:295-301.
- polysaccharide evolution. 47:108-110.
- Port wine. 47:37-41.
- potassium and pH concentration imbalance as a cause of stuck fermentations. 49:295-301
- proanthocyanidin(s). transfer from grape cluster into wine. 50:179-184.
- restarting. 51:168-177.
- resveratrol. extraction from grape skins during fermentation. 47:287-290.
glucoside concentrations. 48:214-219.
- sluggish. acetic acid effects on. 50:107-119, 204-210.
lactic acid bacteria/yeast effects on. 47:1-10; 51:168-177.
yeast nitrogen demands. 51:168-177, 215-222.
- spontaneous. 50:219-224.
- starter cultures. 51:42-48.
- stationary phase. 51:215-222.
- stuck. 49:125-134, 295-301; 50:107-119, 204-210; 51:168-177, 215-222.
- Stylet-Oil effects on. 49:11-16.
- temperature. influence on sensory characteristics of Pinot noir. 48:198-206.
- thermotolerant *Saccharomyces cerevisiae*. 49:319-324.
- volatile sulfur compounds. 50:334-342; 51:91-97.
- yeast-assimilable nitrogenous compounds. 49:125-134; 51:168-177, 215-222.
- Fertilization, nitrogen. effect on bunch stem necrosis. 51:319-328.
effect on Cabernet Sauvignon. 50:351-358.
dessèchement de la rafle. 51:319-328.
on trickle-irrigated vines. 49:191-198.
- Filtration. effects on sparkling wine foam behavior. 48:303-309.
vacuum. 47:313-322.
polysaccharide effects on organic microfiltration membrane, 50:51-56.
- Fingerprinting wine proteins. 49:231-239.
- Fining. effects on resveratrol concentrations. 48:214-219; 50:57-64.
interference with direct protein measurement. 48:303-309.
polyphenols removed by gelatin. 50:81-86.
- Fino sherry. *S. cerevisiae* metabolism during fermentation and aging. 49:240-250.
hyperoxidation of must during aging. 51:98-102.
- Flavanols. 48:370-373; 51:397-403.
compositional differences among planting sites. 50:277-284.
virus presence effects on berry and leaf. 48:438-442.
- Flavonoids. compositional differences among planting sites. 50:277-284.
compounds in grape leaves. 47:186-192.
in red wines. 49:23-34; 50:91-100.
- Flavor, wine. See also Wine, Sensory, Aroma, specific wine.
canopy management practices influence. 47:77-92.
differential profile. 48:187-192.
ethanol concentration effects on temporal perception of viscosity and density. 49:306-318.
fermentation temperature effects on. 48:198-206.
from wood during aging. 50:447-455.
malolactic fermentation effects on. 48:187-192.
stability. hyperoxidation. 49:65-73.
storage temperature effects on Chardonnay. 48:310-316.
vineyard location influence. 47:77-92.
- Flor yeasts. velum formation in sherry. 48:55-62, 160-168.
- Fluoride. yeast sensitivity to. 47:225-226.
- Foam-active compounds in sparkling wines. effect of vinification and variety on foam capacity. 49:397-402.
- Folpet degradation. 48:63-66, 67-70.
- Fortified wines. Port vinification methods. 47:37-41.
- Free α -amino nitrogen. concentration in grape juice. 47:389-402.
- Freeze. injury. Chardonnay vines. 47:31-36
Riesling vines. 47:31-36

- Fruit. See Berry, Grape.
- Fruiting cuttings. polyamines in organs of. 48:80-84.
- Fumigation. sulfur dioxide. residue persistence. 48:121-124.
- Fungal disease. See also Grapevine, Disease.
Eutypa lata. 47:49-56.
Uncinula necator. 47:421-428.
- Fungicide(s). folpet. detection. 48:63-66, 67-70.
 potassium silicate. 47:421-428.
 powdery mildew treatment. 47:421-428.
- Furans. extraction from oak. 47:163-172.
- G**
- Gallic acid. influence of wood treatment, temperature, and maceration time. 47:441-446.
- Gamay wine. oxidation of *trans*-resveratrol. 48:33-38.
 resveratrol extraction from grape skins during fermentation. 47:287-290.
- Garlic paste for budbreak control. preparations for control of budbreak. 51:409-414.
- Gas chromatography. See Chromatography.
- Gelatin fining. 50:81-86.
- Genetic(s). analysis of related cultivars. 51:7-14.
 complex hybrid combinations. 49:302-305.
 diversity among *Agrobacterium* strains. 47:145-151.
 diversity in *Eutypa lata*. 47:49-56.
 genetic relationships of grape cultivars. 50:69-75, 236-242; 51:7-14.
 molecular markers. 48:492-501; 50:236-242, 243-246.
 RAPD markers. 48:492-501; 50:69-75.
- Gibberellic acid. effects on pollen germination and ovule and seed development. 47:152-156.
- Gibberellins. 51:315-318.
- Girdling. effects on fruit set and vegetative growth. 49:359-366.
- Glomus* species. 48:93-99.
- B-1,3-glucanase gene expression in grapevine leaves. 51:81-87
- B-Glucosidase. activities of *Oenococcus oeni*. 51:362-369.
 produced by *Debaryomyces hansenii*. 50:231-235.
- Glucosides. storage temperature effects on. 48:310-316.
- Glutathione. and related enzymes in ripening of Koshu and Cabernet Sauvignon. 50:264-270.
 formation during fermentation of white musts. 51:91-97.
- Glycerol production. in white winemaking products. 47:193-198.
- Glycoconjugates. Riesling. 48:397-402; 49:35-43.
- Glycoproteins in red wine. 48:100-114.
- Glycosides. fruit zone leaf thinning effect on. 49:35-43, 259-265.
 maceration temperature and alcohol effects on. 50:385-390.
- Glycosyl-glucose. 50:385-390.
- Grape(s). See also Berry and Grapevine.
 acid invertase. 48:403-407.
 alkaline phosphatase analysis of tannins. 50:247-252.
 anthocyanins. 49:333-340, 341-349; 50:199-203, 277-284; 51:55-64.
 aromatic composition. 48:181-186.
 bunch rot. quantification by ELISA. 51:276-282.
 composition. climate effects on. 51:249-261.
 irrigation effects on. 50:418-434.
 leaf area effect on berry development and composition. 49:251-258.
 leaf removal effects on. 47:63-76, 77-92.
 pruning method effects on. 47:291-296.
 RNA isolation. 47:181-185.
Rupestris virus effects on. 48:449-458.
 set. 47:152-156.
 skins. anthocyanin content. 50:1-12.
 trellising effects on. 47:63-76; 77-92.
 vine spacing effects on. 47:63-76, 77-92.
- embryo sac. 47:152-156.
 endosperm. 47:152-156.
 flavonoid compositional differences among planting sites. 50:277-284.
- fruit zone leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
- glutathione. 50:264-270.
- inheritance of seedlessness. 49:302-305.
- manganese content. 51:103-107.
- nickel content. 49:205-210.
- nitrogen availability effects on skin. 49:333-340, 341-349.
- palyntological classification of seedless grapes. 48:207-213.
- pigments. 49:333-340, 341-349.
- polysaccharide charge density. 47:25-30.
- pomace. tartaric acid production. 49:95-99.
- protein characterization. 51:22-28.
- raisin. 49:375-382.
- resveratrol concentration. 47:57-62, 93-99.
- ripening. amino acids in Tempranillo during. 50:144-154.
- seedless. palyntological classification. 48:207-213.
- seedlessness inheritance. 49:302-305.
- seeds. amino acids in. 47:268-278.
 nitrogenous components. 47:268-278.
- oligomeric procyandins in extracts. 51:383-389.
- peptides in. 47:268-278.
- phenols. 47:268-278.
 protein extraction from. 47:268-278.
- skins. anthocyanins. 51:390-396.
 resveratrol concentrations. 47:93-99.
- sucrose accumulation and sucrose-metabolizing enzymes. 48:403-407.
 yeast presence on berry surface. 47:435-440.
- flavor/texture profiling. 47:301-308.
- gibberellins. 51:315-318.
- juice. See Juice.
- maturity. effect on alcoholic fermentation kinetics. 47:363-368.
 effect on methoxyypyrazine concentration. 50:194-198.
- methoxyypyrazine concentration. 50:194-198.
- phenols. 49:333-340, 341-349.
- phloem unloading during ripening. 51:340-346.
- pomace. dietary fiber. 49:135-141.
 potential food ingredient. 48:328-332.
 storage conditions relationship to volatile composition of distillates. 49:56-94.
- protein precipitation. 50:247-252.
- resveratrol concentration. 47:57-62.
- ripening characteristics under furrow irrigation. 49:375-382.
- Rupestris* stempitting virus effects on composition. 48:449-458.
- seedlessness. 47:152-156, 340-342.
- seeds. development. gibberellic acid effects on. 47:152-156.
 procyanidin changes. 51:397-403.
 streptomycin effects on. 47:152-156, 340-342.
- sensory evaluation. 47:301-308.
- skin. maceration effect on lipid composition of *S. cerevisiae*. 49:119-124.
 resveratrol extraction from. 47:57-62, 287-290.
 soil nutrient effects on anthocyanins. 50:1-12.
- sugar accumulation during ripening. 51:340-346.
- table. See Table grapes.
- tannins. differences among planting sites. 50:277-284.
- transfer of catechins and proanthocyanidins from solid parts of grape cluster into wine. 50:179-184.
- variety. effect on alcoholic fermentation kinetics. 47:363-368.
- yeasts presence on berry surfaces. 47:435-440.
- Grapevine(s). See also specific cultivar.
 abscisic acid content. 48:115-120.
 amidohydrolase. 48:137-144.
 ammonium status. nitrogen source and shading effects on. 47:173-180.
 ampelography. 49:403-407; 51:370-378.
- Aspergillus niger*. quantification by ELISA. 51:276-282.
- assimilate supply. 49:251-258.
- autochthonous grapevine cultivars. 51:370-378.

- base temperature for budbreak. 49:74-78.
 biannual cropping. 47:157-162.
 bimodal cropping. 47:157-162.
 blackleaf. 49:367-374.
 botrytis bunch rot. 48:482-491; 49:163-170.
 β -1,3-glucanase gene expression in infected grapevine leaves. 51:81-87
 relationship with resveratrol concentrations in wines. 47:93-99.
 quantification by ELISA. 51:276-282.
 sulfur dioxide fumigation. 48:121-124.
 budbreak. calculation. 49:74-78.
 control. 51:409-414.
 induction by water stress. 48:115-120.
 bud. cold hardiness. 47:100-102.
 necrosis. 49:429-439.
 bunchstem necrosis. 47:173-180; 51:319-328.
 cadmium uptake. 51:269-275.
 canopy management. artificial shading effects on bud necrosis. 49:429-439.
 basal leaf removal. 47:63-76; 77-92.
 configuration effects on Seyval blanc vines. 48:482-491.
 dry matter accumulation. 47:251-256.
 effects on crop level. 49:163-170.
 effect on vine performance. 47:63-76, 77-92.
 effect on wine composition. 47:329-339.
 effect on wine sensory qualities. 47:77-92, 329-339.
 effect on yield and fruit composition. 47:63-76, 77-92.
 mechanization. 47:291-296.
 morphology. 47:244-250; 49:183-190.
 nitrogen fertilization effect on density. 50:351-358.
 shade, artificial. effects on bud necrosis. 49:429-439.
 shading effects on Pinot noir vines. 47:173-180.
 shoot. number effects on development and morphology. 47:244-250.
 yield. 47:291-296; 48:482-491.
 canopy microclimate. 47:63-76, 77-92.
 capacity. 47:244-250.
 carbohydrate. accumulation. 47:244-250, 251-256; 48:115-120; 51:49-54.
 seasonal changes in Chardonnay and Riesling. 47:31-36.
 carbon partitioning. 49:183-190.
 carotenoids. 51:122-130.
 cell. cultures. RNA isolation. 47:181-185.
 distribution. 48:145-149.
 Chambourcin. morphology and dry matter partitioning. 47:380-388.
 chemotaxonomy of leaves. 49:86-90.
 chlorophyll. fluorescence in blackleaf-affected Concord. 49:367-374.
 relationship to soil lime content and VAM fungi. 48:93-99.
 relationship to irradiance regime. 51:122-130.
 clonal selection. 47:124-126.
 clones. 47:124-126.
 closteroviruses. 47:199-205, 239-243.
 cluster. heating and cooling. 51:182-188.
 thinning. influence on fruit development. 49:163-170.
 vine performance. 51:390-396.
 influence on wine composition. 47:329-339.
 cold hardiness. 47:31-36, 63-76, 100-102; 48:131-136.
 complex hybrid combinations. 49:302-305.
 crop load. 47:280-388, 329-339.
 crown gall. 47:119-123, 145-151; 48:131-136, 145-149.
 denitrogenization. 49:191-198.
 desséchement de la rafle. 51:319-328.
 dieback. 47:49-56.
 dioecy. 48:323-327.
 disease. See Disease and specific disease.
 DNA fingerprinting. rootstock identification. 49:403-407; 50:236-242, 243-246.
 dormant cuttings. heat tolerance of. 48:131-136.
 dry matter partitioning. 47:251-256, 380-388; 49:183-190.
 dual culture with phylloxera and *Vitis* species. 48:157-159.
 elastic adjustment of leaf tissue. 50:76-80.
- electrolyte leakage. 48:145-149.
 endogenous cryoprotectants. 47:31-36.
 endosperm. 47:152-156.
 evapotranspiration. 51:340-346.
 factor analysis for characterization of maturation. 48:317-322.
 fertilization. See Fertilization.
 field performance. virus infections effects on. 48:7-12.
 field response to methanol. 47:297-300.
 flavonoids. 47:186-192.
 flower. cluster development. shoot number effects on. 47:244-250.
 types. 48:323-327.
 flowering. base temperature. 49:74-78.
 foliar injury. leafhopper feeding impact on Concord. 48:291-302.
 fruit. composition. environment effects on wine. 47:329-339.
 leaf removal influence on. 47:63-76, 77-92; 49:359-366.
 nitrogen fertilization effects on. 49:333-340, 341-349.
 fruit zone leaf removal. effects on fruit set. 49:359-366.
 effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 fruiting cuttings. polyamines in organs of. 48:80-84.
 fungal disease. powdery mildew treatment with potassium silicate. 47:421-428.
 garlic preparations for control of budbreak. 51:409-414.
 gas exchange. 51:122-130; 51:137-143.
 genetic relationships. 48:492-501; 50:69-75, 236-242, 243-246; 51:7-14.
 germination. 47:152-156.
 Gewürztraminer. canopy management impact. 47:77-92.
 Gibberellins. 51:315-318.
 girdling. 49:359-366; 51:49-54.
 glycosides. fruit zone leaf thinning effect on. 49:35-43.
 growing site. effect on flavonoid composition. 50:277-284.
 growth. 47:251-256.
 nitrogen availability. 47:173-180; 49:333-340, 341-349; 50:351-358.
 regulators. 47:152-156.
 viroids effects on. 47:21-24.
 hand pollination. 48:207-213.
 heat. shock. 48:459-464, 465-470.
 tolerance in dormancy. 48:459-464, 465-470.
 treatment of crown gall. 47:119-123.
 heavy metal toxicity. 51:269-275.
 histones. 50:13-18.
 hormones. 48:115-120.
 host/pest interactions. 49:17-22.
 hydrogen cyanamide preparations for control of budbreak. 51:409-414.
 identification of variety. 50:236-242, 243-246.
in vitro. dual culture with phylloxera and *Vitis* species. 48:157-159.
 irradiance. 51:122-130.
 irrigation. effects of changes of berry composition. 50:418-434.
 fertilization with drip. 49:191-198.
 furrow. of drying varieties. 49:375-382.
 sap-flow sensors for scheduling. 49:171-176, 413-420, 421-428.
 late harvest. effects on cold hardiness and soluble sugars. 47:31-36.
 lead uptake. 51:269-275.
 leaf. See also Leaf.
 age. 51:390-396
 area. phosphorus availability, scion, and rootstock influence on. 47:217-224.
 Seyval blanc canopy configuration. 48:482-491.
 shoot number effects on. 47:244-250, 51-256.
 biometrical data. ampelographic computer-aided digitizing system. 47:257-267.
 cell wall elasticity. 48:352-356.
 chemotaxonomy. 49:86-90.
 effect on berry development and composition. 49:251-258.
 flavonoid extraction. 47:186-192.
 gas exchange. 51:122-130.
 β -1,3-glucanase gene expression. 51:81-87.
 injury. leafhopper feeding impact. 48:291-302.
 isoenzymes. 49:86-90.

- ontogeny. 48:352-356; 51:223-226.
 phenolic composition. 47:186-192.
 removal. effect on fruit maturation. 49:359-366.
 effect on glycosides. 49:35-43.
 effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 water potential. 48:352-356.
 leaf gas exchange. 51:49-54.
 leafhopper feeding. impact on Concord yield and juice quality. 48:291-302.
 leafroll. 47:199-205, 239-243; 48:521-524; 50:40-44.
 and rugose wood. 48:438-442.
 detection by ELISA and symptomatology. 47:239-243.
 low temperature exotherm analysis. 47:100-102.
 maturation. factor analysis for characterization and modelling. 48:317-322.
 maturity indices. viroids effects on. 47:21-24.
 mechanical pruning. effects on berry composition and yield. 47:291-296; 50:87-90.
 methanol toxicity. 47:297-300.
 mineral nutrition. 47:217-224, 403-409; 48:80-84, 85-92, 93-99; 50:418-434.
 modelling. 51:340-346.
 molecular markers. 48:492-501.
 mycorrhizae. 51:269-275.
 N-carbamoylputrescine. 48:137-144.
 necrosis. shading effects on. 49:429-439.
 nitrogen. fertilization. 47:173-180; 49:191-198; 51:319-328.
 reserves. 47:173-180; 48:115-120; 51:122-130.
 seed components. 47:268-278.
 nucleic acids in tissue. 47:181-185.
 shading effects on. 47:173-180.
 nutrient. accumulation. 51:269-275.
 analysis. 51:319-328.
 reserves. 48:115-120.
 osmotic potential. 50:76-80; 51:223-226; 340-346.
 ovule development. 47:152-156.
 palo negro. 51:319-328.
 partitioning. shoot number effects on. 47:251-256.
Penicillium. quantification by ELISA. 51:276-282.
 petiole. phosphorus concentration. phosphorus availability, scion, and rootstock influence on. 47:217-224.
 phenology. 49:74-78; 51:249-261.
 phosphorus availability. 47:217-224, 403-409.
 photosynthesis. 47:244-250, 297-300, 297-300; 49:367-374; 51:49-54.
 phylloxera. 47:373-379; 49:17-22; 50:101-106.
 in vitro dual culture with *Vitis* species. 48:157-159.
 resistance evaluation. 49:17-22.
 susceptibility evaluation. 48:157-159.
 Pinot noir. crop level effects on wine. 47:329-339.
 fruit environment effects on wine. 47:329-339.
 nitrogen source and shading effects on. 47:173-180.
 pollen. morphology. 48:323-327.
 pollination. 49:1-5.
 post-harvest water stress. bimodal cropping. 47:157-162.
 potassium nutrition. 48:85-92.
 powdery mildew. 47:421-428; 51:1-6.
 Primitivo clones. warm climate performance. 47:124-126.
 propagation. 48:131-136.
 pruning. effects on crop yield and berry composition. 47:291-296; 48:482-491; 49:163-170.
 effects on fruit set and botrytis. 49:163-170.
 mechanical. 48:482-491; 47:291-296; 50:87-90.
 Pulliat. 48:323-327.
 pollination. 49:1-5.
 RAPD. genetic analysis among Pinot cultivars. 51:7-14.
 rootstock identification. 48:492-501.
 response to nitrogen fertilization. 47:173-180.
 Riesling. canopy management impact. 47:63-76.
 carbohydrates and cold hardiness. 47:31-36.
 RNA isolation. 47:181-185.
 root. composition. morphology. phosphorus influence on. 47:403-409.
 rootstock. 48:26-32.
 crown gall resistant. 48:145-149.
 identification. 48:492-501; 49:403-407.
 influence on shoot growth, leaf area, and petiole P. 47:217-224.
 influence on water relations and gas exchange. 51:137-143.
 phylloxera. 47:373-379; 50:101-106.
Rupestris virus effects on. 48:449-458.
 sap-flow sensors for irrigation scheduling. 49:171-176, 413-420, 421-428.
 scion. influence on shoot growth, leaf area, and petiole P. 47:217-224.
 seedlessness. 47:340-342; 49:302-305.
 shading. See Canopy management.
 shanking. 51:319-328.
 shoot(s). density. effects on wine composition. 47:329-339.
 growth. phosphorus availability, scion, and rootstock influence on. 47:217-224.
 shoot number effects on. 47:244-250.
 positioning. 47:380-388.
 powdery mildew infection. 51:1-6.
 soil nutrients. 48:93-99; 50:1-12; 51:329-339.
 solar radiation. 51:182-188.
 soluble solids. mechanical pruning effects. 50:87-90.
 methanol effects on. 47:297-300.
 soluble sugars. 47:31-36.
 source-sink relationships. 47:244-250, 251-256; 49:183-190, 251-258; 51:49-54.
 Stiellähme. 51:319-328.
 stomatal. density. 51:122-130.
 resistance. methanol effects on. 47:297-300.
 stress physiology. 48:115-120.
 sugar(s). accumulation during ripening. 51:340-346.
 mechanical pruning effects on production. 50:87-90.
 sun exposure. effects on aromatic composition. 48:181-186.
 thermotolerance. 48:131-136, 459-464, 465-470.
 tissue. nucleic acids content. 47:181-185.
 transpiration. 47:297-300.
 trellising. 47:63-76, 77-92, 329-339.
 variety. identification by DNA fingerprinting. 48:492-501; 50:236-242, 243-246.
 relationship to organic acids, sugars, and glycerol content of white wine. 47:193-198.
 vegetative growth. 49:359-366.
 vine spacing. 47:63-76, 77-92.
 viroid(s). effects on Cabernet Sauvignon. 47:21-24.
 virus. Albaría response to. 48:7-12.
 Cabernet franc responses to. 47:239-243.
 detection. by ELISA and symptomatology. 47:239-243.
 graft transmission. 48:7-12.
 leafroll. and rugose wood. 48:438-442.
 detection by ELISA and symptomatology. 47:239-243.
Rupestris stem pitting. 48:449-458.
 survey. 50:133-134.
 Trebbiano Romagnolo. 48:7-12.
Vitis. See *Vitis*.
 water relations. budbreak induction by water stress. 48:115-120.
 effects on composition of maturing berries. 50:418-434.
 osmotic adjustment of leaf tissue. 50:76-80.
 rootstock influence on. 51:137-143.
 to produce second crop. 47:157-162.
 water potential. girdling effects on. 51:49-54.
 waterberry. 51:319-328.
 wild. 48:323-327.
 pollination. 49:1-5.
 winter injury. 47:63-76, 100-102.
 wood carbohydrate reserves. 51:390-396.
 yield. See also Yield.
 bimodal cropping. 47:157-162.
 mechanical pruning effects. 50:87-90.
 methanol effects on. 47:297-300.
 nitrogen fertilization of Cabernet. 50:351-358.
Rupestris virus effects on. 48:449-458.

variation. 48:323-327; 49:1-5.
viroids effects on. 47:21-24.
vs. fruit quality. 47:63-76.
xylem sap. chemical composition. 51:329-339.
Zinfandel clones. warm climate performance. 47:124-126.
Grenache wines. free amino acid utilization. during fermentation and bottle aging. 47:313-322.
Growing site. effects on flavonoid compositional differences. 50:277-284.
Guide to authors. 48:527-532.
Gustation. physiology of sensory response to wine. 48:271-279.

H

Hanseniaspora uvarum. population during fermentation in a new winery. 48:339-344.
Haze, wine. 50:120-127.
Headspace solid-phase microextraction analysis of headspace compounds. 49:100-104; 51:379-382.
Health. antioxidant activity of grape seed extract. 51:379-382.
 dietary fiber from grape pomace. 48:328-332.
 grape pomace as a potential food ingredient. 48:328-332.
 manganese content of grapes and wines from France. 51:103-107.
Heartwood, oak. 50:469-478, 479-494, 503-512, 513-218, 519-526.
 lignin fractions. 49:49-55, 79-85.
 tannins. 50:469-478
Heat. formation during malolactic fermentation. 48:423-427.
 shock of Cabernet Sauvignon vines. 48:459-464, 465-470.
 therapy. leafroll and rugose wood. 48:438-442.
 tolerance of dormant *Vitis vinifera* cuttings. 48:459-464, 465-470.
 treatment of *Agrobacterium vitis*. effects on survival. 47:119-123.
Heavy metal toxicity in vines. 51:269-275.
Hedging. 48:482-491.
Hexose transport capacity. 50:107-119.
High malate must deacidification with *Schizosaccharomyces pombe*. 49:408-412.

High performance liquid chromatography. See Chromatography.
Higher alcohols. production by cryotolerant *Saccharomyces* strains. 47:343-345.
Histamine-producing lactic acid bacteria in wine. 49:199-204.
Histone(s). electrophoretic heterogeneity. 50:13-18.
HPLC. See Chromatography.
Hulls, yeast. See Yeast hulls.
Hydroalcoholic extracts from oak. 50:162-165.
Hydrogen cyanamides. budbreak control. preparations for control of budbreak. 51:409-414.
Hydrogen sulfide formation during fermentation. 51:91-97, 233-248.
Hydrophilic organic microfiltration membrane. 50:51-56.
Hyperoxidation. 48:150-156; 49:65-73; 51:98-102.

I

Identification. of grapevine rootstocks. with simple sequence repeat (SSR) DNA markers. 49:403-407.
 of pesticide residues in wine. 50:435-442.
Immobilized alcohol dehydrogenase. 50:259-263.
Immobilized yeast. in double-layer gel beads or strands. 48:471-481.
Immunoblotting. wine protein characterization. 51:22-28.
Indexing. leafroll associated virus. 47:239-243.
Inflorescence necrosis. nitrogen source effects on. 47:173-180.
 shading effects on. 47:173-180.
Inorganic acid(s). separation by capillary zone electrophoresis in wines and juices. 48:408-412.
In vitro. dual culture with phylloxera and *Vitis* species. 48:157-159.
Ion chromatography. See Chromatography.
Iron content in wine. 51:131-136.

Irradiance regimes. 51:122-130.
Irrigation. effects on composition of maturing berries. 50:418-434.
 effects of preveraison cup-off on wine. 49:152-162.
management for biannual cropping. 47:157-162.
nitrogen fertilization with drip. 49:191-198.
sap flow sensors for scheduling. 49:171-176, 413-420.
ISEM. See Immunosorbent electron microscopy.
Isoenzymatic polymorphism. 49:86-90.
Isotopic ratios to characterize geographic origin of Bordeaux wines. 50:409-417.

J

Juice, grape. amino acid profiles in. 47:389-402.
arginine. 51:227-232.
Botrytis cinerea effect on pectolytic composition. 50:456-460.
color. polyphenoloxidase effects on. 48:13-25.
 processing effects on. 47:279-286.
composition. 50:291-298.
Debaryomyces hansenii application in processing. 50:231-235.
ethyl carbamate. 51:227-232.
fermentation kinetics. 47:429-434.
glucose oxidase treatment for low alcohol wine. 50:291-298, 299-306, 307-316.
hyperoxidation. 48:150-156.
organic acid determination. 50:154-161.
organic and inorganic acids. simultaneous separation. 48:408-412.
oxidation. 50:291-298, 299-306, 307-316.
polyphenol oxidase. 50:137-143.
processing effects on phenolics and color. 47:279-286.
proteins. 48:100-114.
reduced sugar. 50:291-298, 299-306, 307-316.
resveratrol analysis by HPLC. 47:93-99.
 concentration in Muscadine. 47:57-62.
simultaneous separation of organic and inorganic acids. 48:408-412.

K

KHT crystallization. 49:177-182; 50:343-350, 391-397, 398-403.
Killer yeasts. 51:65-72.
Kiln-drying of oak. 51:201-214.
Kinetic(s). characteristics of peroxidase B_s. 48:33-38.
of alcoholic fermentation. effects of variety, year, and grape maturity on. 47:363-368.
Koshu grapevines. glutathione. 50:264-270.
Koshu wine. *sur lie* method. 48:1-6.
Kyoho grapevines. 47:157-162; 48:115-120.

L

Labor, vineyard. Training system effects on. 47:63-76.
Laboratory methods and proficiency. 50:461-465.
L-lactate. sequential injection determination in wine. 48:428-432.
Lactic acid. determination in wine. 47:11-16.
 enzyme reactor for conversion. 48:345-351.
Lactic acid bacteria. antagonistic activity against wine yeast. 47:1-10.
 histamine production. 49:199-204.
 lysozyme to reduce flora in must and wine. 48:49-54.
 volatile phenol formation. 48:443-448.
Lactobacillus. relationship to sluggish fermentation. 47:1-10.
Lactobacillus casei. 50:45-50.
Lactobacillus plantarum. 48:423-427.
 utilization of malate. 48:423-427.
Lactone, oak. 48:502-508, 509-515; 50:469-478, 479-494, 495-502, 503-512, 513-218, 519-526.
Lead uptake in vines. 51:269-275.
Leaf, grapevine. area. canopy configuration effects on. 48:482-491.
 effect on berry development and composition. 49:251-258.
mechanical pruning effects. 50:87-90.

- phosphorus availability influence on. 47:217-224.
 biometric data. 47:257-267.
 cell wall elasticity. 48:352-356.
 flavonols extraction. 47:186-192.
 ontogeny. 48:352-356; 51:223-226.
 phenolic composition of. 47:186-192.
 removal. effects on fruit set. 49:359-366.
 effect on glycosides. 49:35-43.
 effects on vegetative growth. 49:359-366.
 RNA extraction. 47:181-185.
 rootstock influence on. 47:217-224.
 scion influence on. 47:217-224.
 symplastic water content. 48:352-356.
 water potential. 48:352-356.
- Leafhopper. feeding impact on Concord yield and juice quality. 48:291-302.
- Leaffroll virus. 47:199-205; 48:521-524; 50:40-44.
- Leuconostoc oenos*. antagonism by lactic acid bacteria. 47:1-10.
 relationship to sluggish fermentation. 47:1-10; 49:445-448.
- Light. exposure. effect in berry methoxypyrazine concentration. 50:194-198.
- Lime. soil content. 48:93-99.
- Limousin oak. See Oak.
- Linear discriminant analysis of wine. 51:108-114.
- Lipid composition of *Saccharomyces cerevisiae*. skin maceration effect on. 49:119-124.
- Listan blanco wine. descriptive analysis. 49:440-444.
- Low alcohol wine. 50:291-298, 299-306, 307-316.
- LTE. See Low temperature exotherm.
- LTI. See Latitude temperature index.
- Lysozyme. to inhibit malolactic fermentation and stabilize wine. 48:49-54.
- M**
- Maceration. effect on lipid composition of *Saccharomyces cerevisiae*. 49:119-124.
 temperature. effects on glycosides. 50:385-390.
 time. effect on phenolic derivatives of wine spirit mixtures. 47:441-446.
- Malate. dehydrogenase. transport. 48:193-197.
- MALDI. See Matrix assisted laser desorption ionization mass spectrometry
- Malic acid. assay by amperometric biosensors. 47:11-16.
 buffering of model wine solutions. 51:347-351, 352-356.
 enzyme reactor for conversion. 48:345-351.
- Malic enzyme. 48:345-351.
- Malolactic fermentation. assay by amperometric biosensors for L-malic and D-lactic acids. 47:11-16.
 Burgundy wines. 48:187-192.
 by a genetically engineered strain of *S. cerevisiae*. 48:193-197.
 Chancellor wines. 51:42-48.
 enzyme reactor to initiate. 48:345-351.
 heat formation during. 48:423-427.
 inhibition by lysozyme. 48:49-54.
 Leuconostoc oenos. freeze-dried *L. oenos* culture inoculation. 47:42-48.
 resveratrol glucoside concentrations, influence on. 48:214-219.
 sensory properties of Burgundy wines. 48:187-192.
- Malvidin. grape. 50:199-203.
- Manganese content of grapes and wines. 51:103-107; 51:131-136.
- Mannoproteins. charge properties. 47:25-30.
 evolution during fermentation. 47:108-110.
 filterability of wine. 50:51-56.
 patterns during red wine aging. 50:25-32.
 production in juice and must. 49:325-332.
- Marc distillates. 49:56-94.
- Matrix assisted laser desorption ionization mass spectrometry analysis of grape anthocyanins. 50:199-203.
- Matrix modifier. selenium detection in wines. 49:115-118.
- Maturation. grape. modelling and characterization. 48:317-322.
- Mechanical pruning. 47:291-296; 48:482-491; 48:482-491; 50:87-90.
- Merbein Seedless. ripening characteristics under furrow irrigation. 49:375-382.
- Merlot grapevines. methanol toxicity. 47:297-300.
- Merlot wines. catechin and epicatechin concentrations. 49:23-34.
 clone wines. volatile components. 49:44-48.
 resveratrol glucosides. 47:415-420.
- Metals determination in wine. 51:131-136.
- Methanol. toxicity to vines. 47:297-300.
- Méthode Champenoise* process effect on wine aroma. 49:289-294.
- Methoxypyrazine concentration in grape berries. 50:194-198.
- Microbial calorimetry. yeast growth inhibition by alcohols and organic acids. 48:413-422.
- Microcalorimetry. heat formation during malolactic fermentation. 48:423-427.
- Microclimate, grapevine. See also Canopy management.
 training system impact on. 47:63-76.
- Microfiltration. polysaccharide impact on organic membrane. 50:51-56.
- Microsatellite markers. 50:236-242, 243-246.
- Mineral. nutrition of grapevines. 47:217-224, 403-409.
 deficiency symptoms. 48:85-92.
 irrigation effects on in maturing berries. 50:418-434.
 phosphorus. 47:217-224.
 potassium. 48:85-92.
- Mitochondrial DNA analysis. wild yeast strains. 50:219-224.
- Modelling. alcoholic fermentation. 50:166-178.
- Molecular markers. 47:49-56; 48:492-501.
- Monoterpene. Gewürztraminer wine. 47:77-92.
 Muscat grapes. 48:181-186.
 Riesling. canopy management effects on. 47:63-76; 49:35-43.
- Morphology, grapevine. characterization of wild vines. 50:443-446.
- Muscadine grapevines. resveratrol concentration in berries, pomace, and seeds. 47:57-62.
 yield and berry composition affected by hand and mechanical pruning. 47:291-296.
- Multiple mass spectrometry. anthocyanin analysis. 51:55-64.
- Multivariate statistical analysis. 48:177-180.
- Muscadine grapes. cellulase characterization. 50:19-24.
- Muscadine wines. anthocyanin polymer structures. 47:323-328.
 resveratrol concentration. 47:57-62.
- Muscat blanc vines. methanol toxicity. 47:297-300.
- Muscat grapes. aromatic composition. 48:181-186; 51:404-408.
- Must, grape. acidification. 50:45-50.
 of sherry. amino acid determination. 48:229-235.
 amino acid concentrations. in Chardonnay. 50:253-258.
 in Tempranillo. 50:144-154.
 arginine. 51:227-232.
 Botrytis cinerea effect on pectolytic composition. 50:456-460.
 clarification. effects on amino acids. 47:313-322; 49:389-396.
 deacidification with *Schizosaccharomyces pombe*. 49:408-412.
 ethyl carbamate. 51:227-232.
 glycerol content. relationship to varietal factors and climate. 47:193-198.
 high malate. 49:408-412.
 hyperoxidation. 48:150-156; 49:65-73.
 mannoprotein production. 49:325-332.
 natural fermentation. 47:435-440.
 organic acids. relationship to climate and varietal factors. 47:193-198.
 oxidation. 49:91-94.
 pectic polysaccharides. 51:115-121.
 phenol removal from white musts. 51:357-361.
 polysaccharides. 51:115-121.

proteins. fermenting must. 48:100-114.
resveratrol. concentration in Muscadines. 47:57-62.
 extraction from Gamay skins. 47:287-290.
sugar content. relationship to varietal factors and climate. 47:193-198.
turbidity effect on yeast cell wall porosity. 49:325-332.
xyloglucans. 51:115-121.

Mycorrhizae. 51:269-275.

N

N-carbamoylputrescine. 48:137-144.
Necrosis. See also Inflorescence necrosis, Grapevine, Disease.
 nitrogen source effects on. 47:173-180; 51:319-328.
 shading effects on. 47:173-180.
Neural networks. verification of wine origin. 47:410-414.
Nickel in wine and grapes. 49:205-210.
Nitrogen. compounds. in seeds. 47:268-278.
 utilization during fermentation and bottle aging. 47:313-322.
 concentration in vines. 47:389-402; 48:115-120; 51:122-130.
 content of wines. 47:127-133.
 demands of yeasts during fermentation. 51:168-177, 215-222.
 fertilization. effect on growth, canopy density, and yield of Cabernet Sauvignon. 50:351-358.
 on trickle-irrigated Thompson Seedless vines. 49:191-198.
 source. effects on Pinot noir vines. 47:173-180.
Noble wines. anthocyanin polymer structures. 47:323-328.
 processing effects on phenolics and color. 47:279-286.

Norisoprenoids in Merlot clone wines. 49:44-48.

Nucleic acids in grapevine tissue. 47:181-185.
Nutrient. analysis. 51:319-328.
 reserves in Kyoho vines. 48:115-120.
 uptake. 51:269-275.

Nutrition, grapevine. See also Mineral nutrition, Grapevine.

O

Oak. barrel aging. See Barrel aging.
 barrel-to-barrel variation in oak extractives. 47:17-20.
 variation among individual trees. 50:447-455.
cask properties. 48:502-508, 509-515.
chemical composition. 49:79-85; 50:469-478, 479-494, 503-512, 513-218, 519-526.
content of phenolic acid and aldehyde in flavor components. 47:441-446.
ellagitannin content. 47:17-20, 103-107; 50:447-455; 51:201-214.
extraction kinetics of phenolics. 50:33-39.
extraction of volatile compounds. 47:163-172.
heartwood. tannins influence on wine flavor. 50:469-478
heating effects on wine sensory characteristics. 47:441-446.
hydroalcoholic extracts from oak. 50:162-165.
kiln drying. 51:201-214.
lactones. 47:163-172; 50:447-455.
lignin. 47:441-446; 49:49-55.
model cask. 48:502-508, 509-515.
pedunculate oak. anatomy related to cask properties. 48:502-508; 50:469-478, 479-494, 503-512, 513-218, 519-526.
 ellagitannin content. 48:502-508, 509-515; 50:447-455.
 β -methyl- γ -octalactone stereoisomers. 48:502-508, 509-515.
phenolic compound concentration. 47:163-172, 441-446.
Quercus petraea. 51:201-214.
seasoning effects on wine sensory characteristics. 47:441-446; 50:469-478, 479-494, 495-502, 503-512, 513-218, 519-526.
sessile oak. anatomy related to cask properties. 48:502-508; 50:469-478, 479-494, 503-512, 513-218, 519-526.
 ellagitannin content. 48:502-508, 509-515; 50:447-455.
 β -methyl- γ -octalactone stereoisomers. 48:502-508, 509-515.
storage temperature effects on aroma. 48:310-316.
toasting. intensities. 50:479-494, 495-502.
 effects on wine spirit mixtures. 47:441-446.

ultrastructure. 49:79-85.
volatile extractives. 47:17-20, 163-172; 50:162-165, 479-494.
wood anatomy. 48:502-508; 50:513-518.

Odor analysis. physiology of human sensory response to wine. 48:271-279.

Okuzgozu grapes. 49:95-99.

Olfactometry. physiology of human sensory response to wine. 48:271-279.

Oenococcus oeni. 51:362-369.

Olien. defoaming agent. 51:415-417.

Oligomeric procyanidins in grape seed extracts. 51:383-389.

Organic acids. analysis. determination in grape juice and wine. 47:193-198; 48:408-412.

 irrigation effects on in maturing berries. 50:418-434.

 relationship to climate and varietal factors in winemaking products. 47:193-198.

 separation by capillary zone electrophoresis in wines and juices. 48:408-412.

 yeast growth inhibition by. 48:413-422.

Organic viticulture. 47:421-428.

Organoleptic properties of oak in wine. 50:469-478, 479-494, 503-512, 513-218, 519-526.

Osmotic adjustment of leaf tissue. 50:76-80; 51:223-226.

Oxidation. of sparkling wine. 48:225-228.

Oxygen. demand of yeasts during fermentation. 51:215-222.
 effects on fermentation kinetics. 47:429-434.

P Q

Palo negro. 51:319-328.

Palomino fino grapes. characterization. 48:317-322.

Palynological classification of seedless grapes. 48:207-213.

p-coumaric acid concentrations in wines. 49:142-151.

Pectic polysaccharides. 50:25-32, 51-56; 51:115-121.

Pectolytic enzymes. effects on wine color. 50:271-276.

Pedunculate oak. ellagitannin content. 50:447-455.

Peonidin. grape. 50:199-203.

Peptides. angiotensin I converting enzyme (ACE). 50:65-68.
 extraction from seeds. 47:268-278.

 from seeds into wine. 47:268-278.

Peroxidase isoenzyme B₅. 48:33-38.

Pest(s). leafhoppers. 48:291-302.

Pesticide(s). in wines. multiresidue analysis. 50:435-442.

Petunidin. grape. 50:199-203.

pH. effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 effect on stuck fermentations. 49:295-301.

Phenol(s). See also Polyphenols.

 extraction from oak. 47:163-172; 50:33-39.

 irrigation effects on in wine. 49:152-162.

 removal from white musts. 51:357-361.

 skin fermentation time effects on. 49:152-162.

 volatile. 48:443-448.

Phenol-free glycosyl-glucose. 50:385-390.

Phenolic(s). acids. cold stabilization of white wines. 50:391-397, 398-403.
 and aldehydes. in white oak. 47:441-446.

 composition of grape leaves. 47:186-192.

compounds in cork. 49:6-10.

cork stoppers. 50:285-290.

oxidation effects. 49:91-94.

processing effects on. 47:279-286; 48:39-48.

processing enzymes effects on. 48:39-48.

sparkling wine. 51:29-36; 51:144-149.

standard red wine. 50:91-100.

Phenylalanine ammonia-lyase. 47:181-185.

Phloem unloading. 51:340-346.

- Phosphorus. availability influence on grapevines. 47:217-224, 403-409.
- Photosynthesis. girdling effects on 51:49-54.
leafroll virus effects on. 50:40-44.
methanol effects on. 47:297-300.
in blackleaf-affected Concord vines. 49:367-374.
virus presence effects. 48:438-442.
- Phthalimide. degradation from folpet in aqueous solutions and yeast suspensions. 48:63-66.
detection in grape must and wine. 48:67-70.
- Phylloxera. resistance. 49:17-22; 50:101-106.
surface sterilization of eggs. 48:157-159.
- pI. of glycoproteins. 48:100-114.
- Pinot noir grapevines. genetic relationships. 51:7-14.
- Pinot noir wines. catechin and epicatechin concentrations. 49:23-34.
crop load effects on composition and sensory characteristics. 47:329-339.
fruit environment effects on composition and sensory characteristics. 47:329-339
oak wood influence on flavor. 50:447-455.
processing enzymes effects on anthocyanins and phenolics. 48:39-48.
resveratrol glucosides. 47:415-420; 48:214-219.
- Pisco. 51:404-408.
- Plant growth regulators. 51:315-318.
- Pollen. classification by grain dimensions. 48:323-327.
morphology. 48:323-327.
tube growth inhibitors. 47:152-156; 48:323-327.
- Pollination. 49:1-5.
- Polyamines. in fruiting cuttings. 48:80-84.
- Polydatin. presence in commercial wines. 47:415-420; 48:169-176; 50:185-193.
- Polymerase chain reaction. identification of *Agrobacterium tumefaciens* biovars. 47:145-151.
- Polyose caramelization. 50:495-502.
- Polyphenol(s). See also Phenols, Polymeric phenols.
concentrations in white wines. 50:185-193.
charge densities. 47:25-30.
components in red wines. microbial synthesis of volatile phenols. 48:443-448.
fining agent effects on amount and nature in wines. 50:81-86.
oligomeric. from grape seed extracts. 51:383-389.
- Polyphenol oxidase. in juice. 48:13-25; 50:137-143.
- Polysaccharides. charge properties. 47:25-30.
content in must. 51:115-121.
evolution during fermentation and post-maceration. 47:108-110.
impact on performance of organic microfiltration membranes. 50:51-56.
in tartrate precipitation during cold stabilization. 50:391-397, 398-403.
patterns during aging of red wine. 50:25-32.
- Pomace. antioxidant activity. 47:369-372.
calcium tartrate in. 49:95-99.
dietary fiber. 49:135-141.
nutritional and physiological properties. 48:328-332.
resveratrol concentration in Muscadine. 47:57-62.
reuse. 47:369-372.
storage conditions relationship to volatile composition of distillates. 49:56-94.
tartaric acid production. 49:95-99.
- Port wine. color evaluation. 47:37-41.
detection of imitations. 51:262-268.
enzyme effects on color and sensory properties. 50:271-276.
vinification methods. 47:37-41.
- Potassium. bitartrate. concentration and pH imbalance as a cause of stuck fermentations. 49:295-301.
hydrogen tartrate. 50:343-350, 391-397, 398-403.
silicate. powdery mildew treatment. 47:421-428.
- Powdery mildew. 47:421-428; 49:11-16; 51:1-6.
- Primitivo. warm climate performance of clones. 47:124-126.
- Principal component analysis. clarification treatment effects on amino acids. 49:389-396.
- Processing. cork slabs. 49:6-10
enzymes. effects on anthocyanins and phenolics. 48:39-48.
- Proanthocyanidin(s). composition in red wines. 51:397-403.
developmental changes in seeds during grape development. 51:397-403.
precipitation by gelatin. 50:81-86.
transfer from solid parts of grape cluster into wine. 50:179-184.
- Procyanidins. 47:25-30; 51:397-403.
- Proficiency testing and analytical methods. 50:461-465.
- Proline. concentration in 12 Washington grape juices. 47:389-402.
- Protease(s). activity during fermentation. 48:1-6; 51:155-167.
- Protein(s). analysis by capillary zone electrophoresis. 50:120-127.
estimation by the Bradford method. 48:303-309.
extraction from seeds. 47:268-278.
fermenting must proteins. 48:100-114; 51:155-167.
fingerprinting wine proteins. 49:231-239.
fraction analysis of white wine by FPLC. 49:383-388.
from seeds into wine. 47:268-278.
in seeds. 47:268-278.
origin of wine proteins. 48:100-114.
precipitation. 50:247-252.
soluble. 48:100-114.
- Proteolytic activity in *sur lie* wine. 48:1-6.
- Purification. polyphenol oxidase. 50:137-143.
- Putrescine. biosynthesis. 48:137-144.
in fruiting grape cuttings. 48:80-84, 85-92.
- Quercetin. concentrations in wines. 49:142-151.
processing enzyme effects on levels in Pinot noir and Cabernet Sauvignon wines. 48:39-48.
- Quercus*. See oak.

R

- Raisins. furrow irrigation effects on ripening. 49:375-382.
- Randomly Amplified Polymorphic DNA. 47:145-151.
- RAPD markers. genetic analysis of *A. tumefaciens* and *A. vitis*. 47:145-151.
genetic relationships of grape cultivars. 50:69-75.
- Red wine. See Wine.
- Red-free glycosyl-glucose. 50:385-390.
- Reduced alcohol wine. 50:291-298, 299-306, 307-316.
- Reserve nitrogen, grapevine. See Nitrogen.
- Resveratrol. concentration in wine. 47:57-62, 93-99; 47:415-420; 48:214-219; 50:185-193; 51:37-41.
evaluation of assay methods. 48:169-176; 51:37-41.
variety, light, and fining effects on. 50:57-64.
extraction from grape skin during fermentation. 47:287-290.
glucoside. 48:214-219.
oxidation by peroxidase isoenzyme. 48:33-38.
production by grape berries. 47:57-62, 93-99.
- Rhamnogalactans. 47:108-110; 51:115-121.
- Rhamnogaluronan. 47:25-30; 50:25-32, 51-56.
- Riesling grapevines. artificial shade effects on bud necrosis. 49:429-439.
canopy management. 47:63-76.
carbohydrate changes and cold hardness. 47:31-36.
fruit zone leaf removal. effect on canopy structure, microclimate, effect on glycosides. 49:35-43, 259-265.
- Riesling wine. glycoconjugates. 48:397-402.
- Ripening. See Berry and Grape berry.
- Root(s), grapevine. characteristics. phosphorus influence on. 47:403-409.
morphology. rootstock and P availability effects on. 47:403-409.

- zone restriction, by water stress. 47:157-162.
- Rootstock(s), grapevine.* effects on phosphorus uptake and partitioning. 47:403-409.
influence on shoot growth, leaf area, and petiole P in vines. 47:217-224.
influence on water relations and gas exchange. content in wine. 51:137-143.
phylloxera resistance. 47:373-379; 50:101-106.
VAM fungi influence on growth. 48:93-99.
- S**
- Saccharomyces.* contribution to aroma components. 47:206-216.
dynamics of yeast population. 48:75-79, 339-344.
- Saccharomyces bayanus.* immobilized in double-layer gel beads or strands. 48:471-481.
- Saccharomyces cerevisiae.* cell wall composition. 49:325-332.
cryotolerant strains. higher alcohol production by. 47:343-345.
genetically engineered strain. 48:193-197; 50:45-50.
glycoconjugates. effects on. 48:397-402.
hydrogen sulfide formation. 51:233-248.
lactic acid bacteria antagonistic activity against. 47:1-10.
macromolecule excretion. 49:325-332.
malate transport. 48:193-197.
metabolism during fermentation and aging. 49:240-250.
Pichia membranaefaciens presence on grape berry surface. 47:435-440.
population in new winery. 48:339-344.
sherry wine. 48:55-62, 160-168.
skin maceration effect on lipid composition. 49:119-124.
sparkling wine production. 48:471-481.
stuck fermentations. 49:295-301.
sulfide formation. 51:233-248.
turbidity effect on cell wall porosity. 49:325-332.
thermotolerance. 49:319-324.
vellum formation. 48:55-62, 160-168.
- St. George rootstock. See Rootstock.
- Sap-flow sensors for irrigation scheduling. 49:171-176, 413-420.
- Schizosaccharomyces pombe.* deacidification of high malate must with 49:408-412.
- Scion. influence on shoot growth, leaf area, and petiole P in vines. 47:217-224.
- Seedless grapes. palynological classification. 48:207-213.
- Seedlessness. streptomycin-induced. 47:340-342; 49:302-305.
- Seeds, grape. amino acid extraction from. 47:268-278.
peptides. 47:268-278.
phenols into wine. 47:268-278.
weights of, from 25 grape varieties. 47:268-278.
- Selenium in table wines. 49:115-118.
- Sensory characteristics of grapes. profiling. 47:301-308.
- Sensory characteristics of wine. See also specific characteristics.
aroma. *Méthode Champenoise* process effect on. 49:289-294.
Burgundy wines. 48:187-192; 50:447-455.
canopy management influence on. 47:77-92, 329-339.
color evaluation. processing effects on. 47:279-286.
crop level effects on. 47:329-339.
ethanol concentration effects on temporal perception of viscosity and density. 49:306-318.
fino sherry. 49:240-250.
identification. 48:177-180.
low-alcohol wines. 50:307-316.
malolactic fermentation. effects on Burgundy wines. 48:187-192.
Méthode Champenoise process effect on aroma. 49:289-294.
mouthfeel. 49:306-318.
oak wood influence on Burgundy Pinot noir. 50:447-455.
Port wine. 47:37-41.
potassium silicate treatment of powdery mildew effects on. 47:421-428.
qualifications of tasting panels. 48:177-180.
reduced-alcohol wines. 50:307-316.
Saccharomyces and non-*Saccharomyces* contribution to aroma components. 47:206-216.
skin contact time effects on. 47:309-312.
starter culture effects on. 51:42-48.
- Sequential injection analysis. determination of L-lactate in wine. 48:428-432.
- Sessile oak. ellagitannin content. 50:447-455; 51:201-214.
- Seyval blanc grapevines. canopy configuration effects. 48:482-491.
- Shading. See Canopy management, Grapevine, Microclimate.
- Sherry. aroma compounds. 49:240-250.
rhombutants. 48:71-79.
S. cerevisiae metabolism during fermentation and aging. 49:240-250.
velum formation by flor yeasts. 48:55-62; 71-79, 160-168; 51:15-21.
- Shiraz grapevines. irrigation scheduling. 49:413-420, 421-428.
- Shiraz wine. catechin and epicatechin concentrations. 49:23-34.
resveratrol glucosides. 47:415-420.
- Simple sequence repeat (SSR) DNA markers for grapevine identification. 50:236-242.
- Shoot(s), grapevine. elongation. 47:217-224.
growth. phosphorus availability, scion, and rootstock influence on. 47:217-224.
lateral shoot length. 51:390-396.
number. effects on vine development and morphology. 47:244-250.
positioning and thinning. 47:380-388.
tipping. 51:390-396.
- Skin. resveratrol extraction from. 47:287-290.
- Sluggish fermentation. acetic acid effect on. 50:204-210.
lactic acid bacteria antagonistic activity against yeast. 47:1-10; 49:445-448.
potassium concentration and pH imbalance as a cause. 49:295-301.
yeast-assimilable nitrogenous compounds. 49:125-134; 51:168-177, 215-222.
- Soil. lime content. 48:93-99; 50:1-12.
nutrients. effects on anthocyanins in berry skins. 50:1-12.
effects on xylem sap. 51:329-339.
polluted. 51:269-275.
- Solid-phase microextraction headspace analyses for aroma compounds. 51:379-382.
- Source:sink relationships. 47:244-250, 251-256.
girdling effects on. 51:49-54.
- Sparkling wines. aging with yeast. 50:404-408.
autolysis. 51:65-72.
Botrytis cinerea effect on pectolytic composition of base wines. 50:456-460.
browning. 51:29-36.
headspace aroma analysis to determine age. 50:404-408.
vinification and variety effects on foam capacity. 49:397-402.
yeast. immobilized in double-layer gel beads or strands. 48:471-481.
- Spectrophotometry. assay of yeast-assimilable nitrogenous compounds in juice. 49:125-134.
ethanol determination in wines. 50:259-263.
yeast-assimilable nitrogenous compounds in juice. 49:125-134.
- Spectroscopy. anthocyanin polymer structures. 47:323-328.
fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239.
- Spermidine. in fruiting grape cuttings. 48:80-84, 85-92.
- Stability, wine. nitrogenous composition of grape seeds contribution to. 47:268-278.
reduced-alcohol wine. 50:299-306.
tartrate crystal seeding. 49:177-182.
- Standard red wine. data on concentration of phenolic compounds. 50:91-100.
- Stave wood. See barrel(s).

- Steaming potential. 50:343-350.
- Stielähme. 51:319-328.
- Sterols. fermentation activity in grape musts. 47:429-434.
- Stilbenes. 48:169-176; 51:37-41.
- Stokes' law. 50:317-323.
- Storage, wine. temperature. effects on aroma of Chardonnay. 48:310-316.
- Streptomycin. effects on pollen germination and ovule and seed development. 47:152-156.
-induced seedlessness. 47:340-342.
- Stuck fermentation. 51:168-177, 215-222.
- Sucrose accumulation in grapes. 48:403-407; 51:340-346.
-metabolizing enzyme. 48:403-407.
- Sugar(s). accumulation in ripening grape berries. 51:340-346.
content in white winemaking products. 47:193-198.
effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
irrigation effects on in maturing berries. 50:418-434.
seasonal changes in and cold hardiness of vines. 47:31-36.
- Sulfate reduction in *Saccharomyces*. 51:233-248.
- Sulfite(s). residue persistence on table grapes. 48:121-124.
- Sulfur compounds. complex media effects on GC analysis in Cognac. 48:333-338.
detection in Cognac. 48:333-338.
vinification parameters effects on. 50:334-342.
- Sulfur dioxide. in reduced-alcohol wine. 50:299-306.
- Sultana grapevines. ripening characteristics under furrow irrigation. 49:375-382.
- Sur lie* method for Koshu wines. 48:1-6.
- Syringaldehyde. influence of wood treatment, temperature, and maceration time. 47:441-446.
- T**
- Table grapes. descriptive profiling of cultivars. 47:301-308.
Italia Red. induced seedlessness. 47:340-342.
palynological classification of seedless grapes. 48:207-213.
streptomycin-induced seedlessness. 47:340-342.
sulfite residue persistence. 48:121-124.
sulfur dioxide fumigation. 48:121-124.
- Tank aging. See Aging.
- Tannin(s). analysis in grapes and red wines. 50:247-252.
charge properties. 47:25-30.
compositional differences among planting sites. 50:277-284.
in grape pomace. 49:135-141.
in grape seed. 51:383-389.
- Tartaric acid. production in pomace. 49:95-99.
buffering of model wine solutions. 51:347-351, 352-356.
crystallization. 49:177-182.
stabilization of wine. 50:343-350.
- Taste. physiology of human sensory response to wine. 48:271-279.
- Taxonomy of wild vines. 50:443-446.
- Temperature. See also Acclimation, Cold hardiness.
- Tempranillo grapevines. amino acid concentrations in berries during ripening. 50:144-154.
- Thermal processing. effect on glycoconjugates in White Riesling. 48:397-402.
- Thermotolerance. Cabernet Sauvignon. 48:459-464, 465-470.
- Thermotherapy. 48:131-136.
- Thiols. contribution to white wine aroma. 51:178-181.
- Thompson Seedless grapevines. nitrogen fertilization on trickle-irrigated vines. 49:191-198.
- Toasting techniques of oak. 50:479-494, 495-502, 503-512, 519-526.
- Total soluble solids. 51:73-80.
- Touriga Francesa grapevines. 49:74-78.
- Trace element measurements characterize geographic origin of Bordeaux wines. 50:409-417.
- Transmissible agents. viroids. 47:21-24.
- trans*-Resveratrol. oxidation by peroxidase isoenzyme. 48:33-38.
processing enzymes effects on. 48:39-48.
- Transpiration. methanol effects on. 47:297-300.
- Training system, grapevine. See Canopy management.
- Transduction mechanisms in human sensory response to wine. 48:271-279.
- Trebbiano Romagnolo vines. virus effects on. 48:7-12.
- Treixadura wines. 47:309-312.
- Trellising. See also Canopy management, Grapevine.
Pinot noir vines. 47:329-339.
Riesling vines. 47:63-76.
- Trihydroxystilbene. See also resveratrol.
concentration in muscadine grapes and wines. 47:57-62.
concentration in Japanese grapes and wines. 47:93-99.
- Tronçais oak. See Oak.
- U V**
- Uncinula negator*. 47:421-428; 49:11-16; 51:1-6.
- VA mycorrhiza. interaction with soil lime content. 48:93-99.
- Vacuum filtration. 47:313-322.
- Vanillin. influence of wood treatment, temperature, and maceration time. 47:441-446.
- Varietal identification. 48:492-501; 50:236-242.
- Vegetative response. to girdling and leaf removal. 49:359-366.
- Velum formation by flor yeasts in sherry. 48:55-62, 71-79.
- Verdelho wine. descriptive analysis. 49:440-444.
- Vine. capacity 47:244-250.
growth flush. 47:251-256.
- Vineyard. labor requirements. canopy management effects on. 47:63-76.
location. effects on Gewürztraminer. 47:77-92.
multiple crops by use of water stress. 47:157-162.
- Vinification treatments. effects on volatile sulfur compounds. 50:334-342.
influence on aroma constituents. 48:198-206.
influence on resveratrol concentration. 48:214-219.
- Virus. See also specific virus.
effects on growth, yield, and fruit. 48:7-12.
graft-transmission. 48:7-12.
indexing. 47:239-243.
leafroll. and rugose wood. 48:438-442.
detection by ELISA and symptomatology. 47:239-243.
effects on physiology and must. 50:40-44.
purification procedure. 48:521-524.
rootstock identification. 49:403-407.
vineyard survey for. 50:133-134.
yields. 48:521-524.
- Vitispirine. 50:404-408.
- Viticultural zones. 48:285-291.
- Vitis coignetiae*. 48:323-327.
pollination. 49:1-5.
- Vitis riparia* rootstock. 51:137-143.
- Vitis rotundifolia* vines. pruning method effects on yield and berry composition. of Noble and Welder. 47:291-296.
- Vitis rotundifolia* wines. anthocyanin polymer structures. 47:323-328.
- Vitis vinifera* vines. autochthonous cultivars. 51:370-378.
ampelography. 51:370-378.
budbreak and flowering. 49:74-78.
carbohydrate levels and cold hardiness. 47:31-36.
climate effects on. 51:249-261.
clonal selection for warm climate. 47:124-126.
crown gall resistance 48:145-149.
dormant buds. heat shock proteins. 48:465-470.
drying varieties. ripening characteristics under furrow irrigation.

- 49:375-382.
 fruit set. 49:333-340, 341-349.
 fruit zone leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 genetic relationships of grape cultivars. 50:69-75, 236-242, 243-246.
 β -1,3-glucanase gene expression in botrytis-infected leaves. 51:81-87
 growth. 49:333-340, 341-349.
 histone heterogeneity study by electrophoresis. 50:13-18.
 identification. 50:236-242, 243-246.
 leaf area, phosphorus, scion, and rootstock influence on. 47:217-224.
 cell wall elasticity. 48:352-356.
 heat shock protein expression. 48:459-464.
 leaf area effect on development. 49:251-258.
 leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 ontology. 48:352-356; 51:223-226.
 phenolic composition. 47:186-192.
 symplastic water. 48:352-356.
 methanol. field response to. 47:297-300.
 nitrogen. availability. 49:333-340, 341-349.
 source and shading effects on Pinot noir vines. 47:173-180.
 osmotic adjustment of leaf tissue. 50:76-80; 51:223-226.
 palynological classification. 48:207-213.
 petiole analysis. phosphorus. 47:217-224.
 phosphorus availability influence on. 47:217-224.
 powdery mildew. 47:421-428; 49:11-16; 51:1-6.
 rootstock. influence on shoot growth, leaf area, and petiole P. 47:217-224.
 scion. influence on shoot growth, leaf area, and petiole P. 47:217-224.
 streptomycin-induced seedlessness. 47:340-342.
sylvestris. 50:443-446.
 thermotolerance. 48:459-464, 465-470.
 warm climate performance of clones. 47:124-126.
- Volatile(s). acetic acid effects on fermentation and yeast inhibition. 50:204-210.
 extraction from oak. 47:163-172; 50:162-165.
 phenols. 48:443-448.
 sulfur compounds in Cognac. 48:333-338.
 in wine. 51:91-97.
 thiols. 51:178-181.
 yeast influence on. 47:1-10.
- Vosges oak. See Oak.
- W**
- Water potential. girdling effects on. 51:49-54.
 Water stress. osmotic adjustment of leaf tissue. 50:76-80.
 to induce budbreak. 48:115-120.
 to produce two crops a year. 47:157-162.
- Waterberry. 51:319-328.
- White Riesling wine. glycoconjugates. 48:397-402.
- White wine. See Wine.
- Wild grapevines. characterization. 50:443-446.
- Wine(s). See also specific wine.
 acidity. 51:347-351, 352-356.
 aging. See Aging.
 alcohol content determination. 48:220-224.
 amino acid. in wines. 47:127-133; 48:229-235; 49:389-396; 50:253-258; 51:347-351, 352-356.
 Port wine. 47:37-41.
 amino nitrogen fraction. 49:125-134.
 analysis methods validation and laboratory proficiency. 50:461-465.
 anthocyanins. copigmentation. in model wine solution. 50:211-218.
 irrigation cut-off timing effects on. 49:152-162.
 oxidative changes. 48:225-228.
 polymer structure. anthocyanin polymer structures. 47:323-328.
- skin fermentation time effects on. 47:323-328; 49:152-162.
 standard red wine. 50:91-100.
- apple. 51:144-149.
 arginine. 51:227-232.
 aroma. See also Sensory.
 amino acids relationship to. 50:253-258.
 analysis by HS-SPME of sparkling wine. 50:404-408.
 aromatic composition. 47:134-144; 48:198-206; 49:44-48; 51:379-382.
 carbonic maceration. effects on. 47:134-144.
 headspace analysis. 51:379-382.
 oak wood aging effects on. 47:134-144; 50:469-478, 479-494, 503-512, 513-218, 519-526.
Oenococcus oeni. 51:362-369.
 physiology of human sensory response to wine. 48:271-279.
 skin contact time effects on. 47:309-312.
 varietal 51:178-181.
 volatile phenols. 48:443-448.
 authenticity. 50:409-417.
 barrique. See Barrel aged.
 biogenic amines. 49:266-278, 279-282; 50:128-132.
 browning. 49:65-73.
 Cabernet Sauvignon. See Cabernet Sauvignon wine.
 calcium tartrate crystallization. 49:177-182.
 canopy manipulation effects on. Gewürztraminer. 47:77-92.
 Pinot noir. 47:329-339.
 carbonic maceration. 47:134-144.
 carboxylic acids relations ship to skin contact time. 47:309-312.
 catechin concentration. 49:23-34; 50:179-184, 185-193.
 cava. 51:29-36.
 Certified Brand of Origin. 47:410-414.
 Chambourcin. See Chambourcin wine.
 Chardonnay. See Chardonnay.
 chemical classification. 51:108-114.
 clarification. 47:313-322; 49:389-396; 50:219-224.
 classification. neural networks. 47:410-414; 51:108-114.
 climate effects on quality. 51:249-261.
 clone wines. volatile components. 49:44-48.
 cold stabilization. 49:177-182; 50:343-350, 391-397, 398-403.
 collaborative testing. 50:461-465.
 color. See also Color.
 fermentation temperature effects on. 48:198-206.
 irrigation cutoff timing effects on. 49:152-162.
 measurement. 48:357-363, 364-369; 50:359-363.
 pectolytic enzymes effects on. 50:271-276.
 Port wine. 47:37-41; 50:271-276.
 processing effects on. 47:279-286.
 skin fermentation time effects on. 49:152-162.
 composition. nitrogenous composition of grape seeds contribution to. 47:268-278.
 skin contact time effects on. 47:309-312.
 condensation products in red wine. 48:370-373.
 condensed tannins. 50:81-86.
 copigmentation. occurrence and relation to aging. 50:211-218.
 copper content. 51:131-136.
 corks. phenols. 50:285-290.
 correlation between the biogenic amines and other wine compounds in wine. 49:266-278.
Debaromyces hansenii. application in winemaking. 50:231-235.
 defoaming agent. 51:415-417.
 density. ethanol concentration effects on temporal perception. 49:306-318.
 descriptive analysis. 49:306-318, 440-444; 50:307-316.
 dessert. alcohol content determination. 48:220-224.
 differentiation techniques. 48:285-291.
 distillates. Pisco. 51:404-408.
 effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. 49:283-288.
 epicatechin concentrations. 49:23-34; 50:185-193.
 ethanol. analysis. 48:280-284; 50:259-263.
 concentration effects on temporal perception of viscosity and density. 49:306-318.
 ethyl carbamate. 51:227-232.

- fermentation. See Fermentation, Alcoholic fermentation, and Malo-lactic fermentation.
- fingerprinting wine proteins. 49:231-239.
- fining treatment effects on. 48:303-309; 50:57-64, 81-86.
- flavonoids. in red wines. 49:23-34; 50:91-100.
in white wines. 50:185-193.
- flavor. See also Flavor and Sensory.
nitrogenous composition of grape seeds contribution to. 47:268-278.
oak effects on. 47:163-172; 50:447-455, 469-478, 479-494, 503-512, 513-218, 519-526.
physiology of human sensory response to wine. 48:271-279.
skin fermentation time effects on. 47:441-446.
stability. hyperoxidation. 49:65-73.
- fortified. 47:37-41.
- free amino acid utilization during fermentation and bottle-aging. 47:313-322.
- furan extraction. 47:163-172.
- gelatin fining. 50:81-86.
- glutathione. 50:264-270.
- glycoconjugates. 48:397-402; 51:362-369.
- glycosyl-glucose. 50:385-390.
- haze. 49:231-239; 50:120-127.
- headspace compounds. 49:100-104; 50:404-408.
- histamine-producing lactic acid bacteria. 49:199-204.
- hydrogen sulfide. 50:334-342; 51:91-97; 233-248.
- hydroxycinnamic acids. 48:225-228.
- hyperoxidation. 48:150-156; 49:65-73.
- iron content. 51:131-136.
- isotopic ratios to characterize geographic origin of Bordeaux wines. 50:409-417.
- kinetics of phenolic extraction during oak aging. 50:33-39.
- laboratory proficiency testing. 50:461-465.
- L-lactate. sequential injection determination. 48:428-432.
- lactic acid. determination. 47:11-16.
- lactic acid bacteria. 47:1-10; 49:445-448.
histamine production. 49:199-204.
- low alcohol. 50:291-298, 299-306, 307-316.
- maceration time effects on. 47:441-446.
- malic acid determination. 47:11-16; 51:347-351, 352-356.
- malolactic fermentation. See Fermentation.
- manganese content. 51:103-107; 51:131-136.
- metal content. 51:131-136.
- model. See Model wines.
- muscadine. resveratrol concentration. 47:57-62.
- nickel content. 49:205-210; 51:131-136.
- nitrogen. determination. 47:127-133.
- nitrogenous composition of grape seeds contribution to composition. 47:268-278.
- Noble. See Noble wine.
- oak. aging. See Aging.
ellagitannins role in oxidation of red wine. 47:103-107.
extraction of volatile compounds. 47:163-172.
organoleptic properties. 50:469-478, 479-494, 503-512, 513-218, 519-526.
wood age effects on aroma composition. 47:134-144.
- oak-related compounds. 47:163-172, 441-446; 50:447-455.
- organic acids determination. 50:154-161.
- organic and inorganic acids. simultaneous separation. 48:408-412.
- origin. differentiation techniques. 48:285-291.
neural network classification. 47:410-414.
- oxidation. 47:103-107; 48:225-228; 49:65-73, 91-94; 50:264-270.
- p-coumaric acid concentrations. 49:142-151.
- pectic polysaccharides. 50:25-32.
- pectolytic enzymes. 50:271-276.
- peptides. angiotensin I converting enzyme (ACE). 50:65-68.
- pesticide residue analysis. 50:435-442.
- pH. effect on stuck fermentations. 49:295-301.
- phenol-free glycosyl-glucose. 50:385-390.
- phenolic(s). See also Phenolics.
acids. in tartrate precipitates. 50:391-397, 398-403.
concentration in standard red wine. 50:91-100.
- influence of wood treatment, temperature, and maceration time. 47:441-446.
- kinetics of extraction from oak. 50:33-39.
- microbial synthesis. 48:443-448.
- oxidative changes in during winemaking. 48:225-228; 49:95-99.
- removal from white must. 51:357-361.
- phenological stages. 49:74-78, 91-94.
- Pinot noir. canopy management effects on composition and sensory characteristics. 47:329-339; 48:198-206.
oak aging effects on. 47:163-172.
processing effects on. 47:279-286.
temperature effects on. 48:198-206.
- polyphenols. 51:397-403.
- polysaccharides. 47:25-30, 108-110.
- Port. detection of imitations. 51:262-268.
vinification methods. 47:37-41.
- Portuguese. biogenic amines. 50:128-132.
- potassium concentration and pH imbalance as a cause of stuck fermentations. 49:295-301.
- potassium hydrogen tartrate. 50:343-350.
- polyphenol concentration in white wines. 50:185-193.
- polysaccharide patterns during aging. 50:25-32.
- proanthocyanidin(s). precipitation by gelatin fining. 50:81-86.
transfer from grape cluster into wine. 50:179-184; 51:397-403.
- protein. activity during fermentation. 51:155-167.
analysis by capillary electrophoresis. 50:120-127.
characterization by immunoblotting. 51:22-28.
fingerprinting wine proteins. 49:231-239.
fractionation and characterization. 449:383-388.
origin of. 48:100-114.
quantification using Bradford method. 48:303-309.
- quercetin concentrations. 49:142-151.
- quality systems. 50:461-465.
- recognition techniques. 48:285-291.
- red. acetaldehyde-flavanol condensation products.
color measurement. 48:357-363; 50:359-363.
glycoproteins. 48:100-114.
oak aging effects on phenolics. 47:103-107.
oxidation. 47:103-107; 49:95-99.
sugar composition. 48:100-114.
- red-free glycosyl-glucose. 50:385-390.
- redox state. 50:264-270.
- reduced alcohol. 50:291-298, 299-306, 307-316.
- resveratrol. analysis. 48:169-176; 51:37-41.
concentration in wine. 47:57-62, 93-99; 48:214-219; 50:185-193.
effect of variety, UV light exposure, and enological practices on. 50:57-64.
fining effects on. 50:57-64.
- extraction from grape skins during fermentation. 47:287-290.
- rootstock influence on water relations and gas exchange. 51:137-143.
- rosé. color measurement. 48:357-363; 50:359-363.
- selenium content. 49:115-118.
- sensory analysis. See also Descriptive sensory analysis, Sensory, Flavor, and Aroma.
canopy management effects on. 47:77-92, 329-339.
- color. measurement. 50:359-363.
- descriptors. 48:198-206.
- differential response. 48:271-279.
- ethanol effect on temporal perception of viscosity and density. 49:306-318.
- fermentation temperature effects. 48:198-206.
- identification. 48:177-180.
- Méthode Champenoise* process effect on aroma. 49:289-294; 50:404-408.
- oak effects on. 50:469-478, 479-494, 503-512, 513-218, 519-526.
- pectolytic enzymes. 50:271-276.
- physiology of human sensory response to wine. 48:271-279.

- skin contact time effects on. 47:309-312.
 sequential injection. determination of L-lactate in wine. 48:428-432.
 sherry. aging. 49:240-250; 51:98-102.
 velum formation by flor yeasts. 48:55-62; 71-79, 160-168; 51:15-21.
 skin contact time. effects on color, anthocyanins, phenols. 49:152-162.
 sluggish fermentation. 47:1-10; 51:168-177.
 soluble solids. 51:73-80.
 sparkling. See also Sparkling wine.
 aging with yeast. 50:404-408.
 apple. 51:144-149.
 aroma analysis. 50:404-408.
 autolysis by interaction of killer and sensitive yeasts. 51:65-72.
 Botrytis cinerea effect on pectolytic composition of base wines. 50:456-460.
 bottle-fermented, yeast immobilized in double-layer gel beads or strands. 48:471-481.
 browning. 51:29-36.
 bubble formation. 50:317-323.
 Méthode Champenoise process effect aroma. 49:289-294.
 phenols during aging. 51:29-36; 51:144-149.
 vinification and variety effect on foam capacity. 49:397-402.
 spirit mixtures. 47:441-446.
 spontaneous fermentation. 50:219-224.
 stability. nitrogenous composition of grape seeds contribution to. 47:268-278.
 stabilization. 49:177-182.; 50:343-350, 391-397, 398-403.
 steaming potential. 50:343-350.
 stilbenes. 51:37-41.
 stoppers. 50:285-290.
 stuck fermentations. 51:168-177.
 sulfur compounds in wine. 50:334-342.
sur lie method. free amino acid behavior and proteolytic activities during fermentation. 48:1-6.
 storage. effect on glycoconjugates. 48:397-402.
 tannins. 47:25-30; 50:247-252; 51:397-403.
 tartaric stabilization. 50:343-350, 391-397, 398-403.
 tasting panels. 48:177-180.
 temperature. effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 thermal processing. effects on glycoconjugates in White Riesling. 48:397-402.
 thiol contribution to varietal aroma. 51:178-181.
 time-intensity studies to evaluate taste and mouthfeel. 49:306-318.
 trace element measurements to characterize geographic origin of Bordeaux wines. 50:409-417.
 transfer of catechins and proanthocyanidins from solid parts of grape cluster into wine. 50:179-184.
 vacuum filtration. 47:313-322.
 varietal aroma. 51:178-181.
 volatile components. 49:44-48.
 sulfur compounds. 50:334-342; 51:91-97.
 thiols. 51:178-181.
 white. color measurement. 48:364-369; 50:359-363.
 identification. 48:177-180.
 yeast. See yeast.

X Y Z

- Xarel.lo wines. *Botrytis cinerea* effect on pectolytic composition of must and base wines. 50:456-460.
 Xyloglucans in must. 51:115-121.
 Yeast(s). See also specific yeast.
 acetic acid effects on. 50:204-210.
 amino acid. anthocyanin adsorption by yeast lees. 48:433-437.
 antagonism by lactic acid bacteria. 47:1-10.
 anthocyanidin adsorption by lees. 48:433-437.
 arginine assimilations. 51:227-232.
 -assimilable nitrogenous compounds in juice. 49:125-134.
 autolysis. in sparkling wine. 48:471-481.
 Brettanomyces/Dekkera spp. effect on ethylphenol content of red wine. 48:443-448.

- cell concentration in tartrate precipitates in cold-stabilized wines. 50:391-397, 398-403.
 cell concentration profiles. 51:73-80.
 cell wall composition. 49:325-332.
 contribution of strains. *Saccharomyces* and non-*Saccharomyces* contribution to aroma components. 47:206-216.
Debaryomyces hansenii. isolation and properties. 50:231-235.
 effects of temperature, pH, and sugar concentration on the growth rates and cell biomass. 49:283-288.
 flor. velum formation in sherry. 48:55-62, 160-168; 51:15-21.
 fluoride sensitivity. 47:225-226.
 freeze-dried cells. 47:42-48.
 genetically engineered to produce lactic acid. 50:45-50.
 genotypic selection. 51:15-21.
 growth. inhibition. 48:413-422.
Hanseniaspora uvarum. 48:339-344.
 immobilized, double-layer gel beads or strands. 48:471-481.
 inhibition. acetic acid. 50:204-210.
 by alcohols and organic acids. 48:413-422.
 killer. to promote autolysis. 51:65-72.
 lactic acid bacteria antagonism. 47:1-10.
Lactobacillus. antagonism by lactic acid bacteria. 47:1-10.
Lactobacillus casei. 50:45-50.
Lactobacillus kunkeei. 50:204-210.
Lactococcus lactis. 48:193-197.
Leuconostoc oenos. 48:423-427.
 freeze-dried culture inoculation. 47:42-48.
 malolactic activity. 48:423-427.
 See also *Leuconostoc oenos*.
 macromolecule excretion. turbidity effects on. 49:325-332.
 metabolism during fino sherry fermentation and aging. 49:240-250.
 molecular strain identification. 48:339-344; 51:15-21.
 natural fermentation. 47:435-440.
 nutrient requirements during fermentation 51:215-222; 227-232.
 pH effects on the growth rates and cell biomass. 49:283-288.
 population dynamics. 48:75-79.
 during alcoholic fermentation in a new winery. 48:339-344.
 presence on berry surface. 47:435-440.
rho mutants. 48:71-79.
 role in stuck and sluggish fermentations. 51:155-167.
Saccharomyces bayanus. 47:340-345.
 See also *Saccharomyces bayanus*.
Saccharomyces cerevisiae. 47:1-10, 435-440; 48:339-344, 397-402; 49:240-250, 31-324, 325-332.; 50:45-50, 204-210, 219-224.
 See also *Saccharomyces cerevisiae*.
 See also *Saccharomyces fermentati*.
Schizosaccharomyces pombe. 48:193-197; 49:408-412.
 sensitivity to fluoride. 47:225-226.
 simultaneous separation of organic and inorganic acids. 48:408-412.
 starter culture effects on. 51:42-48.
 sterol content of musts in the presence of growing cells. 47:429-434.
 strain(s). effects on glycoconjugates. 48:397-402.
 identification. 48:339-344.
 sugar concentration effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 temperature effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 thermotolerant *Saccharomyces cerevisiae*. 49:319-324.
Torulaspora delbrueckii. See *Torulaspora delbrueckii*.
 turbidity effect on yeast cell wall porosity. 49:325-332.
 velum formation in sherry wine. 48:55-62, 71-79, 160-168.
 volatile aroma compounds. skin contact time. 47:309-312.
 wild. activity during fermentation. 50:219-224; 51:155-167.
 winery. 47:435-440.
- Yield, grapevine. canopy manipulation. See Canopy management, Pruning.
 components. field response of *V. vinifera* to methanol. 47:297-300.
 leafhopper feeding impact on. 48:291-302.
 mechanical pruning effects. 50:87-90.
 muscadine vines. 47:291-296.

nitrogen fertilization of Cabernet Sauvignon. 50:351-358.
pruning method effects on Noble and Welder. 47:291-296.
Rupestris virus effects on. 48:449-458.
variation. pollination and stigma receptivity. 49:1-5.

Zinc content in wine. 51:131-136.
Zinfandel grapevines. warm climate performance of clones. 47:124-126.

Am. J. Enol. Vitic., Vol. 51, No. 4, 2000